



NFC
NFC
NTAG213 / 215/216
NFC

111

1mm micro 10mm 8.7mm 5 * 5mm

2

3 PET PVC

4 4C LOGO

5□□□□□□□□□□□□□□

6□□□□□□□□

7□□□□□□□□□□□□□□□□



[illegible]

0
 1
 2
 3
 4
 5
 6
 7
 8
 9
 A
 B
 C
 D
 E
 F
 G
 H
 I
 J
 K
 L
 M
 N
 O
 P
 Q
 R
 S
 T
 U
 V
 W
 X
 Y
 Z
 [
 \
 ^
 _
 `
 {
 |
 }
 ~
 a
 b
 c
 d
 e
 f
 g
 h
 i
 j
 k
 l
 m
 n
 o
 p
 q
 r
 s
 t
 u
 v
 w
 x
 y
 z
 {
 |
 }
 ~
 _
 `

NEP

RFID□□□□□□

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				




SHARE YOUR SOCIAL MEDIA, BUSINESS OR MUSIC WITH ONE TAP



- ✔ Share Your Profiles with one tap
- ✔ Easy set up and link management

Just touch to save or share your contact information.











More color and design can be customized for you
Send your design artwork to us...



Paper card+White Polybag



Paper Card+Envelope



Paper card+Transparency Polybag



25mm / 30mm NFC

1

2

3

4

5

6

7

8



$\frac{m}{N}$

□
□
□□
P
V
□C
□
□
□
□□
A
B
S
□
□
□□
□
□
□

D **Q** **R** **/** **T** **E** **X** **N** **u** **m** **b** **e** **r**

NEP

RFID□□□□□□

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				



SHARE YOUR SOCIAL MEDIA, BUSINESS OR MUSIC WITH ONE TAP




- ✔ Share Your Profiles with one tap
- ✔ Easy set up and link management



What you can share:



Just touch to save or share your contact information.








				
Dia.15/18	Dia.20/25/30	Dia.35/40/50	30 × 30 40 × 40	45 × 45 50 × 50
0.5g	0.8g	2.5g	1.5g	2.0g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF	LF/HF	LF/HF/UHF	LF/HF/UHF	LF/HF/UHF
				
40 × 30 45 × 22	54 × 27 65 × 25	Dia.30(Outer) Dia.5 (Inner)	Dia.35(Outer) Dia.14 (Inner)	Dia.70(Outer) Dia.50 (Inner)
2.5g	2.5g	2.5g	2.5g	2.5g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF/UHF	LF/HF	LF/HF	LF/HF	LF/HF



Laminated PVC



Transparent PVC Tag



Tag with Epoxy



Self-adhesive Tag



On Metal Tag



Laser printing



APPLICATIONS



OPENGED OR NOT

NFC helps you to find out
More information
Sourcing

Cashless Pay

One Mobile phone
One World
Easy Pay & Modern Life
High Security




DATA Exchanging

Easy & Fast
Exchanging personal info
No need business card

Social Media

Launching your App
Connecting the world
Sharing with friend
Cool, funny and convenient





□□□□

125Khz TK4100□□RFID□□□

ACMM-MF1

13.56MHz MF1K□□F08 RFID□

ACM□□

125khz□13.56mhz□860-960mhz□□□

RFID / NFCtags / RFID / RFID