



280KG 600lbs ZLC

ZLC


2. ACM-180ZL / ACM-280ZL / ACM-350ZL / ACM-500ZL / ACM-750ZL

3.


0
0
0
0

L
1
7
x
4
x
2
9
 Z
 Z
1
3
x
3
8
x
3
8
 L
2
5
x
4
7
x
2
8
 Z
 Z
1
8
x
5
x
5
 L
2
8
5
x
5
4
x
3
1
 Z
 Z
1
8
9
x
5
7
x
5
 L
2
6
5
x
7
x
4
5
 Z
 Z
1
8
5
x
7
x
6
1
 L
2
8
x
8
x
5
1
1
 Z
1
9
x
7
x
6
1
 Z
1
9
x
7
x
6
1

Dimension



Installation






180KG 280Kg ZLC



- ACM Goldbridge 2000
- ACM Goldbridge 2001
- ACM Goldbridge 2002

Installation diagram



Two "L" short bracket spell "Z" bracket

Installation real effect figure



□□□□□

□□□□
 □□□DHL□FEDEX□TNT□UPS□EMS□SEA□Air□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□

□□
 □□□ZL□□□□□□□□1□□□□30□□
 □□□□ □ 54.5 * 20 * 30.5cm□□□□□□□□22.5kg□□



ACM-Y280 L

L
250x47mm
280KG

ACM-Y280 ZL

ZL
250x47mm + 180x53mm
280KG

ACM-Y280 U.

U Bracket

□□□182x45x28mm

□□□□280KG□□□



ACM-Y280 LC

LC□□

□□□□280KG□□□

ACM-Y280 ZLC

ZLC□□

□□□□280KG□□□

ACM-Y280 Z.

Z□□

□□□180x53mm

□□□□280KG□□□

You may need

□□□□□□□



ACM-Y700

□□□□□□□□□□□□

ACM-Y600

□□□□□□□□□□□□

ACM-Y601

□□□□□□□□□□□□

□□□□□□□□□□



ACM-WEG02

□□2□□□□□□□□RS232□RS485□TCP / IP
□□□

ACM-K2A

□□□□□Realse ExitButton□K2A□115 *
40mm; K2B□86 * 86mm

ACM-Y806-3A

□□□□12V / 3A



