


433MHz 30m EM 125KHz Wiegand RFID


Features

- > 433 MHz
- > 125KHz EM 13.56MHz MF
- > 26 34
- > 30m
- >
- > IP65

Item	Specification
Model	ACM301
Frequency	433MHz
Protocol	EM 125KHz
Power	3 AAA
Current	≤5uA
Max Current	≤35mA
Max Voltage	≤3V
Frequency	433MHz
Range	30 m
Temperature	-20°C ~ +60°C / -4°F ~ +140°F
Humidity	0 ~ 86%
Protection	IP65
Material	ABS
Dimensions	120 * 50 * 20 mm
Weight	88g
Supply Voltage	12V
Supply Current	≤15mA
Frequency	433MHz
Capacity	26 34
Temperature	-20°C ~ +60°C / -4°F ~ +140°F
Humidity	0 ~ 86%
Dimensions	25 * 50
Weight	10g



Can work with any wiegand controller




Battery powered, no need wires any more!




Fast installation within 2 minutes




Product Size




Gift Box Size



Carton Inventory




Wireless Reader



Receiver



Self Tapping Screws:
Φ 4*25mm




Wall Anchors



Screw Driver



3M Sticker





ACM223

RFID 125Khz EM
1000/4000

ACM209-NW

RFID 125Khz EM

ACM208

RFID



ACM210

RFID

ACM225

RFID 125Khz EM

ACM211B

RFID

1

2

3 OEM / ODM

4 fashin

5

1

2

3 2-3

6 1 5 7 30

7 T / T

8 DHL FEDEX TNT UPS EMS SEA AIR

1.

2.

-

DHL FedEx TNT UPS

3.

4.

5000 3-7 100,000 7-15

5.

OEM

6.

20 RFID / NFC / RFID / RFID RFID