



-

[illegible]

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100


[illegible]

□□□□□□□□

□□□□/□□□□□□□□□□□□□□

- ・ □□/□□□□
 - ・ IP-55 □□□□ / SUS 304 □□□□
 - ・ □□□□□□□□□□
 - ・ □□□□□□□□
 - ・ □□□□□□0.1□10cm
 - ・ □□□□□□/□/□□/□□□□□□
 - ・ □□□□□□□□□□(3A/AC120V,DC30V)
 - ・ □□/□□/□□□□□□□□
 - ・ □□□□□□□□□□□□ LED □□□□
- (1) □□□□□□□□ LED □□
 - (2) □□□□□□□□ 10 □□□□□□ LED □□

+12V	GND	NO	COM	NC
Red	Black	Yellow	White	Orange



2020

Installation




Sensing Range




LED Indicator



A: Black / PC Lens
B: Round Shape LED Indicator





□□□□□

□□□□□ □
 □□□□□ 0.3kg
 □□□□□ 10cm x 10cm x 8cm





K2B□86*86mm

□□□□□□□□□□

K9A□115*40mm

□□□□□□□□□□/□□□K5B□86*86mm



