



5A□□□□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □



[illegible]

X

0
0
8
9
2
x
1
7
m
m
8
5
V
E
2
6
5
V
.
0
0
0
6
W
0
D
C
0
2
V
;
/0
n
c
.
0
0
0
5
A
-
1
.
4
A
00


00000





Kindly remind:

All network control board must configure with access power supply.
1 board for 1 power supply



ACM-WEG04

Four doors 1 way: Control 4doors (Enter by Swipe cards and Exit by Push button)

Scope of Application



Port



School

□□□□□

[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□2000□□□□□□□□□□RFID□□□□□□□□□□□□□□□□

[illegible]

CONFIDENTIAL



[illegible]

EXW□FOB□FCT□CIF□CFR ...□□□□□□□□□□□□

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□□□□□□□□3□□□□□□□□!!!

20 “ ”





ACM-K2A / B.

□□□LED□□□□Realese□□□□



ACM-Y280

□□□□□□280kg / 600□□



ACM-Y806-5A

□□□□□□□□5A



ACM225

RFID 12kHz



ACM-210

RFID Wiegand



ACM26x.

125KHz EM RFID
115mm×75.5mm×16.8mm



ACM Goldbridge

RFID 20 RFID RFID RFID
RFID



1. 24
- 2.
3. OEM / ODM
- 4.
- 5.
- 6.
- 7.
8. DHL, FedEx, TNT, UPS, EMS

1. ACM Goldbridge
2. ACM Goldbridge
- 3.