

RFID

ACM-A 60 Wiegand



12VD
+10W
G2N6734

1
3
*
6
8
.
4
1
7
.
5

W
G
2
6
/
3
4

8
0
E
M

1
0
9
0
R
H

4
N
1
2
5
K
H
z
E
M
/
1
3
.
5
6
m
h
z

1

1
8
6
r
n
/

/
/

/

+

.
5
K
G
1
9
x
1
2
5
x
5
5
□
□

□□

- 1.□□□□□□□□□□□□□□□□
□□□□□□□□□□
- 2.□□Wiegand 26□□&□□□□□□□□□□
- 3.□□□□□□□□□□□□□□□□
- 4.□□□□□□□□□□□□□□0.1□□
- 5.□□□□□□□□□□□□□□8000□
- 6.□□□□□□□□□□□□□□□□□□
□□□
- 7.□□□□□□□□□□□□

□□□□

ACM-A60□□□□Rfid□□□□ □□□□8000□□□□□□□□□□LED□□□

Touch metal door access controller

Support rfid card, password,
rfid card + password.
Support 8000 user capacity



Support fast data copy



Lightning delivery



Global sales



Package mail



Technical support



After-sale

Product function

- ◆ Touch control waterproof panel,
- ◆ Metal casing with blue backlight
- ◆ WG26 / 34 input / output
- ◆ Support card, pin, card + Pin
- ◆ Full programming from the keyboard
- ◆ Human tampering alarm function
- ◆ Can set the management card
- ◆ Active and passive lock signal output
- ◆ Imported double point relay output signal
- ◆ Non contact type for radio frequency identification transponder technology
- ◆ Connect to the external release button (exit button)
- ◆ Memory capacity: 8000 user cards and 1 passwords
- ◆ Do not need to be connected to the computer, it can work alone
- ◆ The same series of access control supports data backup and backup
- ◆ Can be used to read the header and a machine



□□□□

□□Wiegand 26□□□□□□□□□□□□

产品解析

Product analysis



Work indicator



Touch waterproof
button & Card area



Door bell



□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□



ACM223

Touch Keypad RFID&125Khz
EM 1000/4000 USer

ACM209-NW

RFIDAccessControl
125Khz EM

ACM208

RFID



ACM210

RFID

ACM225

RFID 125Khz EM

ACM211B

RFID

1 24
2
3 OEM / ODM
4 &
5
1
2
3 2 - 3
6 1~5 7~30
7 T / T Western Union Paypal Ali
8 DHL FEDEX TNT UPS EMS SEA Air

1

☐T / TPaypal
☐DHLFedExTNT UPS

[illegible]

3-9 5000pcs 7-15 100,000pcs

OEM

RFID/ NFC/ RFID/ RFIDrfid20