□□□□

□□rfid□□□□□□□UHF□□rfid□□□

ACM218□□□□□□□UHF / 13.56mhz RFID□□□□□

□□□□ACM218□□□□□□

RS232
RS485
Wiegand26/34
TCP/IP

LED

027dBm

ISO18-6C

EPC Class I Gen2

□□□□□□□□□□□□□□□□□□□□□SDK□□

□□□□

□□□□□□□

□□ISO18000-6C□EPC C1G2□□ISO18000-6B□ISO 14443A□□□□;

□□□□□□□□□□□□□□□

□□□□□□□□□□□50□□*□

□□□□□□

□□RS232□□□RJ45□TCP / IP□□□□

□□DLL□□□□□□□□□□□□□□□□□

□□Pocket PC / PDA□□□□□

□□□□

POWER
RS232
TCP/IP

质量保证书

-如果损坏不是由人为造成的，将享受保修服务，ACM Goldbridge为相关产品提供2年保修。

-相反，如果进行维修，ACM Goldbridge会造成额外损失。

-更多信息，请浏览我们的服务中心。

我们是具有20年经验的专业综合安全门禁产品供应商，我们确保提供最佳的门禁系统解决方案！因此，请在下面发送您的查询详细信息，然后单击“发送“现在！
我们期待着将来与全球新客户建立成功的业务关系。

产品应用

第一步：通过USB接口将阅读器与PC /笔记本电脑连接
第二步：打开记事本或Word文档，单击鼠标，
将卡放在阅读器上，卡号将输出到记事本或Word文档中


RFID Demo - [Ver:3.2.0.1]
CONNECT(C)
LANGUAGE
HELP(H)
Configuration
Serial Interface
Net Work
USB Interface
Serial Interface
PortName
COM1
BaudRate
115200
Auto Switch
Net Work (TCPIP)
Remote IP
192.168.005.115
Remote Port
49152
click the USB interface
and then click CONNECT
Time
Type
RCP Packet (HEX)
Details
DISCONNECT
USB
0
Firmware Version
Status..



包装及运送

打包

UHF阅读器包装: 每盒1个

单一尺寸: 13 * 9 * 4cm, 毛重: 159kg。

Package:

- Package Size: 130*90*40mm
  Package weight: 159g

40mm
90mm
130mm

ups
DHL
WORLDWIDE EXPRESS
aramex
delivery unlimited
EXW
FCA FOB
CIF CFR

运输方式

自2000年以来，我们是中国RFID产品的领先出口商之一。凭借丰富的国际贸易经验，我们非常了解国际航运，我们知道哪种快递或空运/海运航线对您的国家而言便宜又安全。我们可以提供各种证书来清洁您的习惯，例如CO，FTA，F表格，E … Ect表格。我们将为您的运输提供专业建议。

EXW，FOB，FCT，CIF，CFR …贸易术语对我们来说还可以。我们可以成为您可靠的产品和运输合作伙伴。

About Us

Similar Products

GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company

As a one of leading exporter and manufactuer of RFID products in China , . We have been in this field for 17 years already . We have rich production and exportation experience on RFID products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader . We are also the access control solution provider .

FACTORY PHOTOS

Our Certificate

>>