



### IP66

ACM-218G

>

> IP66

>

> 10000

> 2

> 4.0

> APP Android 4.3 IOS 7.0

> E-key

	ACM-218G
	10000
	13.56MHz Mifare / S5-BT MF / 125KHz EM / S5-BT EM
	Android 4.3 / IOS 7.0
	12V
	<35
	<90
	Mifare / EM
	13.56MHz / 125KHz
	26
	4.0
	<20m
	<2
	2 A
	IP66
	-20°C + 60°C
	0 98
	103 x 48 x 19


□□□□	0.27□□
□□□□	40□/□
□□□□	10.8□□
□□□□	47 * 30 * 18.2□□

Product Picture




Product Dimensions

Product Size



Box Size



□□□□□□□□□□□□□□□□□□□□□□



**ACM223**

RFID□□□□□□□□□□□□EM 125/4000  
US 125Khz

**ACM209-NW**

□□□□□□□□□□RFID□□□□□□□□125Khz  
EM

**ACM208**

□□□□□□□□□□RFID□□□□



**ACM210**

RFID

**ACM225**

RFID 125Khz EM

**ACM211B**

RFID

1 24

2

3 OEM / ODM

4 fashin

5

1

2

3 2-3

6 1 5 7 30

7 T / T Western Union Paypal Ali

8 DHL FEDEX TNT UPS EMS

1.

2.

- T / T

DHL FedEx TNT UPS

3.

4.

5000 3-7 100,000 7-15

5.

OEM

6.

20 RFID / NFC / RFID / RFID