## □□□□

**□□860□960Mhz RS232 RS485 GPRS TCP / IP□□□RFID□□□□□□□□□□□□□□□**

1□□□ISO18000-6C□EPC C1G2□□□□□□□□□□□
□ISO18000-6B□□
2□□□□□ISO-18000B□EPC□
3□□□□□□□□□□5M-10M□□□□
4□□□□SDK□□□□□
5□□□□□□26□rs232 / 485□TCP / IP□□

□
□
□
HU□
R
□
e
□
a
□
d
e
r
b

ACM813A

HU

M5-1M

HU

86-96MHZ

SF

DC12V □□（≤2.5W）□□□□□□□□□□□□□□□□

1 RS-232 □ 2 RS-485 □□（3）□ Weigand26\32 □

□□□□□□10□□□□□□ IS□ API□ C++□ C□□□□□□□□□□□□□ -4°C +6C□□□ 5□□ 95□□□□□□

## □□□□

□□□□

□□UHF RFID□□□□□□860-960Mhz UHF□□□□□RFID□□□

1.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2.□□□□□□□□□□□□□□□□ID□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

3.□□□□□□□□□□□□□□□□□□□□□□□□□□□

4.□□□□□W26□W34□□□□□□□□□□□□□□□
5.□□□□□PC□□□□□□□□□□□□□□□□□SDK□□□□□□□□□□□□□□□□□

**Interface:**

- Standard interface have RS232,RS485 and Wiegand 26




## □□

RFID UHF□□□□□□

□□UHF RFID□□□□□□860-960Mhz uhf□□□□□□□□□□USB□□RFID□□□

1□ □□ □□
2□ □□ □□
3□ □ □□□□

4□□□□□
5 □□ □□
6□ □□□ □□
7□□□□□□□
8□□□□□


Vehicle access control system
Personal ID access control
Application
Hand free applications
Asset management
UHF CARD


EPC_Demo
Port Setting
Port:
COM1
Baud Rate
9600
Connect
DisConnect
Refresh Data
Parameter Setting
Function Display
Clear Record
Work Mode
Reader Parameter
Workmode Select
M-S
Timer
Triggering
Adjacent discrimination
ID Adjacent discriminatio
Time
10
*1S
Timer Parameter
Time Intervals
15
*10ms
Triggering Parameter
Triggering:
HIGH electri
Automatically shutdown
10
S
Defa-Para
Read-Para
Set-Para
Port Setting
Connect Port:
RS485
RS-232 Parameter
Baud Rate:
9600bps
RS-485 Parameter
Baud Rate:
9600bps
Wiegand Parameter
Wiegand Mode:
Wiegand26
Pulse Width:
8
*10us
Pulse Cycle
12
*100us
User Code
User Code:
0
Operation Record:
Time
Operation Result
15:59:34
Open port Success!
15:59:34
Reader SofWare Version is V1.53!

一车一杆
停
持卡出入

## □□□□□

□□
UHF□□□□□□□□□1□□□□10□□
□□□□□32 * 32 * 6cm□□□□5kg

□□□□

□2000□□□□□□□□□RFID□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□/□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□CO□FTA□F□□□E ... Ect□□□□□□□□□□□□□□□□□□□□ EXW□ FOB□FCT□CIF□CFR ...□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

## □□□□□

□□□□□□□□□□□□□□□□□□ACM812A□□□□□□□□□□ACM802A□ACM818A□ACM801A□□□□□□□□□□□□□□□□□□□ACM801A□□□□□□□□□□□□□□□200□□□□□□□□□□□□□□□□□□□□□□□□□□

ACM812A
2-5m□□□□□UHF□□□
□□26□□□RS232 / 485

ACM818A
10-20m□□UHF□□□
□□26□□□RS232 / 485

ACM802A
8-10m□□□□□UHF□□□
□□26□□□RS232 / 485

ACM801A
10-15m UHF□□□
□□26□□□RS232 / 485

ACM 8017
UHF□□□□□
□□□+ WIFI + GRPS

ACM 918K
UHF 4□□□□□□□□□□□□

## □□□□□

1□□□□□□□□ 24□□
2□□□□□□□□□□□□□□□□□□□□□□□□□□□
3□ OEM / ODM □□□
4□ □□□□fashin desing□□□□□□□□□□□□□□□□□□
5 □□ □□□□□
1□□□□□□□□□□□□□□□□□□□□□□□□
2□□□□□□□□□□□□□□□
3□□□□□□□□□□□ 2-3□□□ □□□□□□□□□□□
6□ □□□□□ □□□□□□1□5□□□□□□□□7□30□
7□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□

## □□□□

□□1.□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□2□□□□□□□□□□□
□□T / T□Paypal□Western Union□
□□□□□□□□□□□□□□□DHL□FedEx□TNT UPS□□

□□3.□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□

□□4□□□□□□□□□□□□□
□□□□□□□□ 5000□□□□□3-7□□100,000□□□□□7-15□

□□5□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□OEM□□□

□□6□□□□□□□□□□□□
□□□□□20□□□□□□RFID□/ NFC□□/ RFID□□/ RFID□□□RFID□□□□□□□□□□□□□