



860~960Mhz RS232 RS485 GPRS TCP /
IP RFID

1□□□ISO18000-6C□EPC C1G2□□□□□□□□□□

□ISO18000-6B□□

200000 ISO-18000B EPC

3 5M-10M

4. 4. 4. SDK

5□□□□□□26□rs232 / 485□TCP / IP□□

Readers

A
C
M
8
1
3
A
□
□
~~HO~~□
□
□□
M□
-
1
M
□
□
~~HO~~□
□
□
□□
8
6
-
9
~~6~~
M
H
Z
□
□
□
□
□
~~SR~~□
□
□
□

[illegible]

4. W26 W34


5. PC SDK



Interface:

- Standard interface have RS232,RS485 and Wiegand 26





RFID UHF

RFID UHF

UHF RFID860-960Mhz uhfUSB RFID

- 1
- 2
- 3

4
5
6
7
8



Vehicle access control system



Personal ID access control



Hand free applications



Asset management



Application



UHF CARD



[illegible]



無線LAN

無線LAN
UHF無線LAN1000MHz
無線LAN32 * 32 * 6cm無線LAN5kg

☐ ACM812A ☐ ACM802A ☐ ACM818A ☐ ACM801A
☐ ACM801A ☐ 200





ACM812A
2-5m UHF
26 RS232 / 485

ACM818A
10-20m UHF
26 RS232 / 485

ACM802A
8-10m UHF
26 RS232 / 485





ACM801A
10-15m UHF
26 RS232 / 485

ACM 8017
UHF
+ WIFI + GRPS

ACM 918K
UHF 4

1. 24
- 2.
3. OEM / ODM
4. fashin desing
- 5.
- 1.
- 2.
3. 2-3
6. 15730
- 7.

1.

2.
T / TPaypalWestern Union
DHLFedExTNT UPS

3.

4.
50003-7100,0007-15

5.
OEM

6.
20RFID/ NFC/ RFID/ RFIDRFID