

□
□
S□
I
S
O
T
K
4
1
1
2
5
K
H
Z
M
F
1
K
□
D□
□
□
/□
N
F
C
□
□
/□
□
□
□
□
□
A
B
S
□
□
5
K
H
Z
□
□
4
1
0

□
□
□
□□
-
1
°
C
□□
□
□
□
□□
-
2
°
C
□□
□
□□
□
□
□
□
□□
□□




- 1.□□□□□□□□
2.□□□□□□□□LOGO□□□□□□
3.□□□ABS□PVC□□□□



RFID

ABS RFID 125KHz 13.56MHz RFID
RFID OEM

Color Options





RFID Keyfob

RFID Keyfob





Reading Distance

$2.5\text{cm} \leq \text{LF} \leq 10\text{cm}$

$2.5\text{cm} \leq \text{HF} \leq 10\text{cm}$



Convenient

easy to carry



□□□
□□200□□□□10□□□□□□□□□□26X22X23 cm□□□□13 kg
□□□□□□□□

200pcs/bag



2000pcs/Carton



200

200

2000

10 2000

49X25X18 cm 13 kg

20

1 24

2

3 OEM / ODM

4 fashin

5

1

2

3 2-3

6 1 5 7 30

7

8 DHL FEDEX TNT UPS EMS SEA AIR

ACM Goldbridge 2

ACM Goldbridge

