

LED NO COM

ACM-K2B

尺寸	86x86x35mm
重量	100g
电压	3A 36VDC
功率	+ 12V GND NC COM
寿命	1000000h
温度	0-95℃
湿度	-10℃~55℃ 14°F~131°F
光照	0-95lux
响应	0.1-10ms

LED

LED 尺寸	10mm
LED 重量	100g
LED 电压	3A 36VDC
LED 功率	0.25W
LED 寿命	70k



Infrared induction switch



□□□□□□□□□□□□□□LED□□NC□NO□COM□□□□□□□□

□□□	□□/□	□□	□□□	□□□□
ACM-K2B	125□	12.1□□	13.5□□	54X32X39



K2B 86 * 86mm

Realese

K9A 115 * 40mm

K5B 86 * 86mm





1. 86 * 86mm NO K4B
 2. 86 * 86mm Kirsite K14B
 3. 86 * 86mm K815B

1. 86 * 86mm NO K4B

1. 86 * 86mm NO K4B
2. 86 * 86mm Kirsite K14B
3. 86 * 86mm K815B
4. 86 * 86mm K815B
5. 86 * 86mm K815B
6. 86 * 86mm K815B
7. 86 * 86mm K815B
8. 86 * 86mm K815B

1. 86 * 86mm NO K4B

1. 86 * 86mm NO K4B
 2. 86 * 86mm Kirsite K14B

2. 86 * 86mm K815B
 T / T

1. 選擇物流服務商：DHL、FedEx、TNT、UPS

2. 包裝與貼標：確保包裝牢固，貼上正確的物流標籤

3. 運輸與跟蹤：選擇合適的運輸方式，並利用跟蹤系統監控貨物

4. 倉庫與配送：選擇合適的倉庫，並安排配送人員

5. 客戶服務：提供專業的客戶服務，解答客戶疑問