

STANDBY MODE:

The light is green .




OPERATION MODE:

When pressing the reset button, the light will be red and the inside buzzer will ring.

DOOR CONTROL SYSTEM DOOR BUTTON

High sensitivity, 0 misinformation, strong stability, nanowire impact.



Internal components



BACK



POSITIVE

PRODUCT

RATED VOLTAGE:
12VDC / 24VDC



- Active alarm
- Manual call point
- Flashing and Alarm
- Built-in circuit board



Characteristic



Built-in buzzer



Tri-pole



Easy
Wiring/Installation




LED/BUZZER
/Volume Adjustment



Lock hole for
Professional Use




DETAIL DISPLAY




DETAIL DISPLAY




Status



Embedded Installation



Surface Installation





Realese

K2B 86 * 86mm

Realese

K9A 115 * 40mm

/K5B 86 * 86mm





□□□□□□□□□□ NO□□ K4B□86 * 86mm

□□□□ Kirsite□□□□□□□□ K14B□86 * 86mm

□□□□□□□□□□ K815B□86 * 86□□



1□□□□□□□□24□□□□□□

2□□□□□□□□□□□□□□□□□□□□□□

3□OEM / ODM□□

4□□□□□fashin□□□□□□□□□□□□□□□□□□

5□□□□□□□

1□□□□□□□□□□□□□□□□□□□□□□

2□□□□□□□□□□□□□□□□□□□□□□

3 2-3
6 1 5 7 30
7 T / T Western Union Paypal
8 DHL FEDEX TNT UPS EMS SEA AIR



1.
[Placeholder text]

2.
T / T
DHL FedEx TNT UPS

3.
[Placeholder text]

4.
5000 3-7 100,000 7-15

5.
OEM

6.
20 RFID / NFC / RFID / RFID RFID