



12v□□□□/□□□□□□□□□□

ACM-Y130 Fail
Unlocked.It/

[illegible]

[illegible]

Advantage

03

less heat is safe and reliable.



04

Rated Operating Voltage: DC 12V
Current: 240mA(Fail-secure) /
120mA(Fail-safe)


05

Made of high-quality aluminum for high hardness, corrosion resistance & anti-deformation.




- ACM Goldbridge 2000
- ACM Goldbridge 2001
- ACM Goldbridge 2002







Cutting according to the size of the electric lock




Insert extension plate




Fix extension plate




After installed, power on and test it



Fix strike lock



Finish



Metal door frame

Wooden door frame



☐ DHL ☐ FEDEX ☐ TNT ☐ UPS ☐ EMS ☐ SEA ☐ Air

□□
□□□□□□□□1□□□□50□□
□□□□ □ 54.5 * 20 * 30.5□□□□□□20□□□□□□50□□□□



You may need





NC / NO PVC

□□□□□□□NC / NO□□□□□□□□□□PVC□

280kg 600lbs





ACM-Y280

280mm / 600mm

ACM-Y100S

100mm

&NO / NC Power

ACM-Y066

66mm

130x98x41mm

100mm

1 24mm

2 100mm

3 OEM / ODM

4 100mm & 100mm

5 100mm

1 100mm

2 100mm

3 100mm 2 - 3mm

6 100mm 1~5mm 7~30mm

7 100mm T / T Western Union Paypal

8 100mm DHL FEDEX TNT UPS EMS SEA Air



1. 100% 100%

100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

2. 100% 100%

100% 100% T / T Paypal 100%

100% 100% 100% DHL FedEx TNT UPS

3. 100% 100%

100% 100% 100% 100%

4. 100% 100%

100% 100% 3-9 5000pcs 7-15 100,000pcs

5. 100% 100%

100% 100% 100% 100% OEM 100%

6. 100% 100%

100% 100% RFID / NFC / RFID / RFID rfid 100% 20%