



□□□□□**180kg**□□□□Z□□□




Zoo

1. Z████████████████████
2. Sandblast███
3. █████180Z / 280Z

[illegible]



Installation diagram



Two "L" short bracket spell "Z" bracket

Installation real effect figure



0000
 000DHLFEDEXTNTUPSSEAIR000000000000
 00000000000000

U型鋼 130mm
54.5 * 20 * 30.5mm 20kg



ACM-Y180 L

L
170x38mm
180KG

ACM-Y180 ZL

ZL
170x38mm + 130x37mm
180KG

ACM-Y180 U

U
130x46x28mm
180KG



ACM-Y180 LC

LC

180KG

ACM-Y180 ZLC

ZLC

180KG

ACM-Y180 Z

Z

130x37mm

180KG

You may need

□□□□□□



ACM-Y700

□□□□□□□□□□

ACM-Y600

□□□□□□□□□□

ACM-Y601

□□□□□□□□□□

□□□□□□□□



ACM-WEG02

Modulo di interfaccia per RS232, RS485, TCP / IP
e CAN

ACM-K2A

pulsante Relese Exit Button K2A 115 *
40mm; K2B 86 * 86mm

ACM-Y806-3A

Alimentatore 12V / 3A



ACM-Y280

280kg / 600lbs

ACM-26X

125Khz wiegand 26/34

115mm×75.5mm×16.8mm

125Khz EM

- 1. 24
- 2.
- 3. OEM / ODM
- 4. fashin
- 5.

- 1.
- 2.
- 3. 2-3
- 6. 1 5 7 30
- 7. T / T Western Union Paypal
- 8. DHL FEDEX TNT UPS EMS SEA AIR

1.

2.

3.

4.

5.

6.