



L00

1. L_____

2. Goodbye_____

2.Sandblast□□□
3.□□□□□180I / 2

3. 180L / 280L

10

1

1

11

10

1

1

11

2

5

X

四四

☒

□

4

□

1001

1111

1111

1001

1003




1001

1001

1003



Installation diagram



Two "L" short bracket spell "Z" bracket

Installation real effect figure



1. DHL
 2. FEDEX
 3. TNT
 4. UPS
 5. EMS
 6. SEA
 7. AIR

1. L
 2. 1
 3. 30
 4. 54.5 * 20 * 30.5
 5. 15kg



ACM-Y280 L

L□□
 □□□250x47mm
 □□□□280KG□□□

ACM-Y280 ZL

ZL□□
 □□□250x47mm + 180x53mm
 □□□□280KG□□□

ACM-Y280 U

U□□□
 □□□182x45x28mm
 □□□□280KG□□□



ACM-Y280 LC

LC

280KG

ACM-Y280 ZLC

ZLC

280KG

ACM-Y280 Z

Z

180x53mm

280KG

You may need

□□□□□□



ACM-Y700

□□□□□□□□□□

ACM-Y600

□□□□□□□□□□

ACM-Y601

□□□□□□□□□□

□□□□□□□□



ACM-WEG02

□□2□□□□□□□□RS232□RS485□TCP / IP
□□□

ACM-K2A

□□□□Release ExitButton□K2A□115 *
40mm; K2B□86 * 86mm

ACM-Y806-3A

□□□□12V / 3A



ACM-Y280

□□□□□280kg / 600lbs□

ACM-26X

125Khz wiegand 26/34□□□□□

□□115mm×75.5mm×16.8mm

□□□□

125Khz EM□□□

1. 24
- 2.
3. OEM / ODM
4. fashin
- 5.
- 1.
- 2.
3. 2-3
6. 1 5 7 30
7. T / T Western Union Paypal
8. DHL FEDEX TNT UPS EMS SEA AIR

1.

2.

3.

4.

5.

6.