

Zoo

- 1.Z
- 2.Sandblast
- 3.180Z / 280Z

0 0 0 0 0 0 0 1 8 8 5 3 0 0 0 0 0 0 0 0






5/5

- ACM Goldbridge 2000
- ACM Goldbridge
-

11

Installation diagram



Two "L" short bracket spell "Z" bracket

Installation real effect figure



0000
 000DHLFEDEXTNTUPSSEAIR000000000000
 00000000000000

Uzunluk 1000mm 30mm
 Ağırlık 54.5 * 20 * 30.5mm 20kg



ACM-Y280 L

L
250x47mm
280KG

ACM-Y280 ZL

ZL
250x47mm + 180x53mm
280KG

ACM-Y280 U

U
182x45x28mm
280KG



ACM-Y280 LC

LC□□

□□□□280KG□□□□

ACM-Y280 ZLC

ZLC□□

□□□□280KG□□□□

ACM-Y280 Z

Z□□

□□□180x53mm

□□□□280KG□□□□

You may need

□□□□□□



ACM-Y700

□□□□□□□□□□

ACM-Y600

□□□□□□□□□□

ACM-Y601

□□□□□□□□□□

□□□□□□□□



ACM-WEG02

□□2□□□□□□□□RS232□RS485□TCP / IP
□□□

ACM-K2A

□□□□Realse ExitButton□K2A□115 *
40mm; K2B□86 * 86mm

ACM-Y806-3A

□□□□12V / 3A



ACM-Y280

□□□□□280kg / 600lbs□

ACM-26X

125Khz wiegand 26/34□□□□□

□□115mm×75.5mm×16.8mm

□□□□

125Khz EM□□□

1. 24
- 2.
3. OEM / ODM
4. fashin
- 5.

- 1.
- 2.
3. 2-3
6. 1 5 7 30
7. T / T Western Union Paypal
8. DHL FEDEX TNT UPS EMS SEA AIR



1.

2.
 T / T Paypal Western Union
 DHL FedEx TNT UPS

3.

4.
 35,000 3-7 100,000 7-15

5.
 OEM

6.
 20 RFID / NFC / RFID / RFID RFID