



9dBi UHF RFID 902-928MHz

- 1 ISO18000-6B EPC
- 2 ISO-18000B EPC
- 3 10-20M
- 4 SDK

ACM813A
H
V

[illegible]

R S 2 3 2 R S 4 8 5 W i e g a n n 2 6 T i r g g e r 4 2 2 k m 7 h 8

EPCC Class 1 Gen 2

M U H F E P O O

1111

- [illegible]




Standard interface



RS232.485, Wiegand26

Optional interface



Ethernet , TCP/IP




RFID UHF

RFID UHF

RFID UHF

- ACM Goldbridge





□□□□□

□□
 UHF□□□□□□□□1□□□□10□□
 □□□□□32 * 32 * 6cm□□□□5kg□

製品紹介

uhf製品としてACM812A、ACM802A、ACM818A、ACM801Aの4製品をラインナップ
ACM801Aは200W出力の製品です





ACM812A
2-5m UHF
Wiegand 26 RS232 / 485

ACM818A
10-20m UHF
Wiegand 26 RS232 / 485

ACM802A
8-10m UHF
Wiegand 26 RS232 / 485





ACM801A
10-15m UHF
Wiegand 26 RS232 / 485

ACM 8017
UHF
UHF + WIFI + GRPS

ACM 918K
UHF 4

- 1 100% 24
- 2 OEM / ODM
- 3 OEM / ODM
- 4 fashin desing &
- 5
- 1
- 2
- 3 2 - 3
- 6 1~5 7~30
- 7 T / T Western Union Paypal

1

2
T / T Paypal
DHL FedEx TNT UPS

3

4
3-9 5000pcs 7-15 100,000pcs

5
OEM

6
RFID / NFC / RFID rfid 20