

[illegible]

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

注意事項


1. 請將COM端連接至DC12V電源，0-15V範圍內任意電壓；
2. 請將NC端連接至COM端，DC12V電源，0-15V範圍內任意電壓；
3. 請將DC12V電源連接至4號5V；
4. 請將電源線連接至電源，電源線連接至電源；
5. 請將電源線連接至電源，電源線連接至電源；
6. 請將12V電源連接至電源，電源線連接至電源。



POSITIVE



BACK





Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government





Factory



Aviation




School





Kindly remind:

All network control board must configure with access power supply.
1 board for 1 power supply



ACM-WEG04


Four doors 1 way: Control 4doors (Enter by Swipe cards and Exit by Push button)



2000 RFID
/CO FTA F
E ...
EXW FOB FCT CIF CFR ...
...


□□□□□□□3□□□□□□□!!!

20 “ ”




ACM-WEG01

0000100



ACM-WEG02

□□□□□2□□



ACM-WEG04

□□□□□4□□

You May Like



ACM-K2A / B.

□□□LED□□□□Realese□□□□



ACM-Y280

280kg / 600mm



ACM-Y806-5A

5A



ACM225

RFID 12kHz



ACM-210

RFID Wiegand



ACM26x.

125KHz EM RFID

115mm×75.5mm×16.8mm



ACM-EMI-S

125KHz TK4100 RFID

ACM-WBT-EM



公司优势

1. 工厂直营

2. 工厂直营 24 小时

3. OEM / ODM

4. 工厂直营

5. 工厂直营

6. 工厂直营

7. 工厂直营

8. 工厂直营

9. 工厂直营

10. 工厂直营

11. 工厂直营

12. 工厂直营

工厂直营

1. 工厂直营

2. 工厂直营

3. 工厂直营