



RFID Animal Tags

- ✓ TPU material
- ✓ -30°C Not deformed
- ✓ laser printing



TPU UHF RFID



XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

How Does Animal Microchip Work?



1. Scan the pet to verify whether he or she has a microchip that has been previously implanted.



2. Scan the microchip pack to verify that the microchip is functional, and that the ID code matches the accompanying barcode labels.



3. Implant the microchip, then rescan the pet to verify that the microchip can be localized.



4. Do not forget to record the tracking number of the microchip.

Implantation Sites for Microchips



Microchips are most often implanted in animals as outlined in the diagrams above. When scanning dogs and cats, begin in the neck area where the microchip is most likely to be located, but be sure to scan slowly and patiently. Scan repeatedly and over the entire body to ensure whether or not a microchip can be localized.

XXXXXXXXXXXXTPUXXXXUHF RFIDXXXXXX

XXXXXXXXXXXXTPUXXXXUHF RFIDXXXXXX	
XX	RFIDXXXX
XX	XXXXXX
XX	100 * 74MM70 * 80MMXXXX3034mm
XX	XXXX
XX	XXXX

物料	物料
标准	ISO7815、ISO14443A、ISO15693、ISO 18000-6c
频率	134.2KHz、13.56MHz、860、960mhz
芯片	EM4305、H3
容量	1、5M
数量	100,000
温度	-25℃、+ 65℃
物流	DHL、FedEx、UPS、TNT、EMS
其他	RFID、.....

物料TPU、UHF RFID





How Does Animal Microchip Work?



1. Scan the pet to verify whether he or she has a microchip that has been previously implanted.



2. Scan the microchip pack to verify that the microchip is functional, and that the ID code matches the accompanying barcode labels.



3. Implant the microchip, then rescan the pet to verify that the microchip can be localized.



4. Do not forget to record the tracking number of the microchip.

Implantation Sites for Microchips



Microchips are most often implanted in animals as outlined in the diagrams above. When scanning dogs and cats, begin in the neck area where the microchip is most likely to be located, but be sure to scan slowly and patiently. Scan repeatedly and over the entire body to ensure whether or not a microchip can be localized.

UHF RFID

UHF RFID	
	RFID
	100 * 74MM 70 * 80MM 30 34mm
	
	ISO7815 ISO14443A ISO15693 ISO 18000-6c
	134.2KHz 13.56MHz 860 960mhz
	EM4305 H3
	1 5M
	100,000
	-25°C + 65°C
	DHL FedEx UPS TNT EMS
	RFID.....

UHF RFID









Outer carton package

```
-XXXXXXXXXXXXXXXXXXXXXXXXXACM GoldbridgeXXXXXXXXXX2XXXXX
-XXXXXXXXXXXXXACM GoldbridgeXXXXXXXXXX
-XXXXXXXXXXXXXXXXXXXXX
```

ACM Goldbridge
RFID 20 RFID RFID RFID RFID RFID UHF



111

[illegible]

■■■ GOLDBRIDGE ■■■■■

0000
 000000000000000000004050518031
 000+ 0086-755-83767678000+
 0086-755-88391348
 00000000
 00/ whatsapp /000+
 0086-13554918707
 Skype0lily-jiang1206
 000000sales0at0goldbridge sz.com

☐☐☐[http:// www.goldbridge.sz.com](http://www.goldbridge.sz.com)