

材料

材料表
12V 電池

> 電池

> 電池 NO / NC / COM

> 電池 5 25cm


> LED

> LED

> 電池

電池

電池 5s 10s



8
6
x
8
6
x
1
8
m
m
D
C
9
E
1
2
V
.
E
6
m
A
E
3
E
C
6
.
C
2
E
E
8
E
8
2
G
.

□□□□






Specification

Voltage: DC9-DC12V
Temperature: -30°C~60°C
Dimension: 86*86*18mm


Current: <600mA
Humidity: 20%-80%
Gross Weight: 82g




Description

This product is a capacitive touch sensitive door access switch, with automatic environment temperature and humidity Adaptability, not affected by weather change sensitivity and stability. Output when touching Normally open or normally closed switch signal, indicator light display: green in standby, touch The light is red.


Dimensions(mm)



Common power supply diagram:



Special power supply diagram:







□□□□□□□□□□
 K2B□86 * 86mm
 □□□□□□□□□□
 K9A□115 * 40□□
 □□□□□□□□□□NO / NC□K5B□86 *
 86mm





1. 86 * 86mm K4B
 2. 86 * 86mm K14B
 3. 86 * 86mm K815B

1. 86 * 86mm

1. 86 * 86mm
2. 86 * 86mm
3. OEM / ODM
4. 86 * 86mm
5. 86 * 86mm
1. 86 * 86mm
2. 86 * 86mm
3. 86 * 86mm 2 - 3

6. 請於 105 年 7 月 30 日
7. 請於 T / T 或 PayPal
8. 請於 DHL / FedEx / TNT / UPS / EMS

11

1

[illegible]

2

- T / T PayPal
DHL FedEx TNT UPS

3

[illegible]

4

3000 3-7 7-15 100,000

0050000000000000

XXXXXXXXXXXXXXXXXXXXXXXXXXXXOEMXXXX

6

RFID/ NFC/ RFID/ RFID/ RFID20