



RFID RFID 13.56MHz RFID

RFID

1. 10mm 8.7mm 5 \* 5mm

2. PET PVC

3. PET PVC

4. 4C LOGO

5. 4C LOGO

6. 4C LOGO

7. 4C LOGO



RFID

~~B~~  
~~E~~  
~~D~~  
~~□~~  
~~/□~~  
~~□~~  
~~□~~  
~~□~~  
~~DR~~  
~~□~~  
~~□~~  
~~□~~  
~~/□~~  
~~N~~  
~~F~~  
~~C~~  
~~P~~  
~~V~~  
~~C~~  
~~□~~  
~~□~~  
~~□~~  
~~□~~  
~~E~~  
~~V~~  
~~C~~  
~~/~~  
~~A~~  
~~B~~  
~~S~~  
~~/~~  
~~P~~  
~~E~~  
~~T~~  
~~/~~  
~~□~~  
~~□~~  
~~□~~  
~~□~~

[illegible]


NEP

RFID 000000

| Chip type                                                                                       | Protocol  | Capacity | Anti collision | Function   |
|-------------------------------------------------------------------------------------------------|-----------|----------|----------------|------------|
| NTAG® 213                                                                                       | ISO14443A | 180 Byte | NO             | Read/write |
| NTAG® 215                                                                                       |           | 540 Byte | NO             |            |
| NTAG® 216                                                                                       |           | 924 Byte | NO             |            |
| NTAG® are registered trademarks of NXP B.V. and are used under license.                         |           |          |                |            |
|                                                                                                 |           |          |                |            |
| MIFARE Classic® 1K                                                                              | ISO14443A | 1KB      | NO             | Read/write |
| MIFARE Classic® 4K                                                                              |           | 4KB      | NO             |            |
| MIFARE Ultralight® EV1                                                                          |           | 640 Bit  | NO             |            |
| MIFARE Ultralight® C                                                                            |           | 1184 Bit | NO             |            |
| MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.    |           |          |                |            |
| MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license. |           |          |                |            |
|                                                                                                 |           |          |                |            |
| MIFARE Plus® 1K                                                                                 | ISO14443A | 1KB      | NO             | Read/write |
| MIFARE Plus® 2K                                                                                 |           | 2KB      | NO             |            |
| MIFARE Plus® 4K                                                                                 |           | 4KB      | NO             |            |
| MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.       |           |          |                |            |
|                                                                                                 |           |          |                |            |
| MIFARE® DESfire® EV1 2K                                                                         | ISO14443A | 2KB      | NO             | Read/write |
| MIFARE® DESfire® EV1 4K                                                                         |           | 4KB      | NO             |            |
| MIFARE® DESfire® EV1 8K                                                                         |           | 8KB      | NO             |            |
| MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.              |           |          |                |            |
|                                                                                                 |           |          |                |            |
| ICODE® SLIX                                                                                     | ISO15693  | 1KB      | Yes            | Read/write |
| ICODE® SLIX-S                                                                                   |           | 2KB      | Yes            |            |
| ICODE® SLIX-L                                                                                   |           | 512 Bits | Yes            |            |
| ICODE® SLIX-M                                                                                   |           | 1KB      | Yes            |            |
| ICODE® are registered trademarks of NXP B.V. and are used under license.                        |           |          |                |            |




# ***RFID Label*** *of different* **Format**



|                                                                                    |                                                                                    |                                                                                    |                                                                                     |                                                                                      |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|   |   |   |   |   |
| Dia.15/18                                                                          | Dia.20/25/30                                                                       | Dia.35/40/50                                                                       | 30 × 30<br>40 × 40                                                                  | 45 × 45<br>50 × 50                                                                   |
| 0.5g                                                                               | 0.8g                                                                               | 2.5g                                                                               | 1.5g                                                                                | 2.0g                                                                                 |
| PVC/PET                                                                            | PVC/PET                                                                            | PVC/PET                                                                            | PVC/PET                                                                             | PVC/PET                                                                              |
| LF/HF                                                                              | LF/HF                                                                              | LF/HF/UHF                                                                          | LF/HF/UHF                                                                           | LF/HF/UHF                                                                            |
|  |  |  |  |  |
| 40 × 30<br>45 × 22                                                                 | 54 × 27<br>65 × 25                                                                 | Dia.30(Outer)<br>Dia.5 (Inner)                                                     | Dia.35(Outer)<br>Dia.14 (Inner)                                                     | Dia.70(Outer)<br>Dia.50 (Inner)                                                      |
| 2.5g                                                                               | 2.5g                                                                               | 2.5g                                                                               | 2.5g                                                                                | 2.5g                                                                                 |
| PVC/PET                                                                            | PVC/PET                                                                            | PVC/PET                                                                            | PVC/PET                                                                             | PVC/PET                                                                              |
| LF/HF/UHF                                                                          | LF/HF                                                                              | LF/HF                                                                              | LF/HF                                                                               | LF/HF                                                                                |



Laminated PVC



Transparent PVC Tag



Tag with Epoxy



Self-adhesive Tag



On Metal Tag



Laser printing



# APPLICATIONS



## OPENGED OR NOT

NFC helps you to find out  
More information  
Sourcing

## Cashless Pay

One Mobile phone  
One World  
Easy Pay & Modern Life  
High Security



## DATA Exchanging

Easy & Fast  
Exchanging personal info  
No need business card


## Social Media

Launching your App  
Connecting the world  
Sharing with friend  
Cool, funny and convenient



□□□□

□□□□



□□□□  
125Khz TK4100□□RFID□□□

## ACMM-MF1

13.56MHz MF1K F08 RFID

## ACM

125khz 13.56mhz 860-960mhz



## ACM-S001-UHF

## ACM-UHF-P

860-960Mhz

## ACM-NFC-

NFC

1. 24

2.

3. OEM / ODM

4. fashin

5.

1.

2.

3. 2-3

6. 1 5 7 30

7.

8. DHL FEDEX TNT UPS EMS SEA AIR

ACM Goldbridge 2

ACM Goldbridge

1.

2.

Paypal

DHL FedEx TNT UPS

3.

4.

5000 3-7 100,000 7-15

5.

OEM

6.

20 RFID / NFCtags / RFID / RFID