



□□□14443A + 15693□□□□13.56MHz USB Proximity MF□□□□□□□□□□

□□□

- 1.avoid□□□□□□□□
- 2.□□□□□□□□□□□□
- 3.□□□□□□□□□□Windows98 / 2000 / XP□□
- 4.□USB□
- 5.□□□/□□□13.56MHz + 125kHz□

[illegible]

m
m
×
8
m
m
×
2
6
m
m

U
S
B
D
C

. .
m m
m m

m m

°C

7 °C

2
°C

8 °C

9
%

✗
✗
m
S
✗
□
□
S
□
✗
m
m
m
m
.
A
B
S
□
□

□
p□
□
W
i
n
c
e
\
w
i
n
7
\
w
i
n
1
\
l
i
u
n
x
\
v
i
s
t
a
\
a
n
d
r
o
i
d

□
B□
□□
□
□
□
□
□
□□
□
□
□
□
□
□□
"□
□
□
□
□
□□
"□
□
□
□
□
□
□
□
□
□□

□□□□









□□□□□

□□□□□□□

□□□□□□□□□□100□□□

RFID Reader
37

RFID Reader 20

RFID Reader





□□□□

□2000□□□□□□□□□□RFID□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□E ...□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
EXW□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□





ACM26X RFID

125khz wiegand 26/34
115mm×75.5mm×16.8mm

ACM26G RFID

125KHz /13.56MHz
Wiegand 26/34 / RS232

KR600E RFID

125KHZ ID / 13.56MHz
Wiegand 26bit



1111

1

[illegible]

2.

- 000000T / T PayPal000000

□□□□□□□□□□□□ DHL □ FedEx □ TNT UPS □□□□

3

□ □

0040000000000000

3-7 5000pcs 7-15 100,000pcs

00500000000000

- OEM

6

RFID / NFC / RFID / RFID RFID 20