



RFID HF RFID 13.56MHz RFID RFID RFID

RFID

1. RFID tag size: 10mm x 8.7mm x 5 * 5mm

2. RFID tag material: PET, PVC, etc.

3. RFID tag color: PET, PVC, etc.

4. RFID tag logo: 4C LOGO, etc.

5. RFID tag shape: circular, etc.

6. RFID tag thickness: 0.5mm, etc.

7. RFID tag price: \$0.1, etc.



B **E** **I** **D** / **R** **N** **F** **C** **P** **V** **C** **M** **C** / **A** **B** **S** / **P** **E** **T** / **K**

D **Q** **R** **/** **T** **E** **X** **N** **u** **m** **b** **e** **r**


NEP

RFID 000000

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				




RFID Label *of different* **Format**



				
Dia.15/18	Dia.20/25/30	Dia.35/40/50	30 × 30 40 × 40	45 × 45 50 × 50
0.5g	0.8g	2.5g	1.5g	2.0g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF	LF/HF	LF/HF/UHF	LF/HF/UHF	LF/HF/UHF
				
40 × 30 45 × 22	54 × 27 65 × 25	Dia.30(Outer) Dia.5 (Inner)	Dia.35(Outer) Dia.14 (Inner)	Dia.70(Outer) Dia.50 (Inner)
2.5g	2.5g	2.5g	2.5g	2.5g
PVC/PET	PVC/PET	PVC/PET	PVC/PET	PVC/PET
LF/HF/UHF	LF/HF	LF/HF	LF/HF	LF/HF



Laminated PVC



Transparent PVC Tag



Tag with Epoxy



Self-adhesive Tag



On Metal Tag



Laser printing



APPLICATIONS



OPENGED OR NOT

NFC helps you to find out
More information
Sourcing

Cashless Pay

One Mobile phone
One World
Easy Pay & Modern Life
High Security




DATA Exchanging

Easy & Fast
Exchanging personal info
No need business card

Social Media

Launching your App
Connecting the world
Sharing with friend
Cool, funny and convenient





□□□□

125KHz TK4100□□RFID□□□

ACMM-MF1

13.56MHz MF1K□□F08 RFID□

ACM

125khz 13.56mhz 860-960mhz



ACM-S001-UHF

ACM-UHF-P

860-960Mhz

ACM-NFC-

NFC

1 24

2

3 OEM / ODM

4 fashin

5

1

2

3 2-3

6 1 5 7 30

7

8 DHL FEDEX TNT UPS EMS SEA AIR

ACM Goldbridge 2

ACM Goldbridge

1.

2

Paypal

DHL FedEx TNT UPS

3.

4

5000 3-7 100,000 7-15

5

OEM

6

20 RFID / NFCtags / RFID / RFID