





TCP / IP


Access
PC

2
T
P
Q
I
P


[illegible]



.....NO/NC.....
.....
.....
.....



Double Door Access Controller Wiring Diagram (TCP/IP Communication)



Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government





Factory



Aviation




School



Kindly remind:

All network control board must configure with access power supply.
1 board for 1 power supply



ACM-WEG04

Four doors 1 way: Control 4doors (Enter by Swipe cards and Exit by Push button)

[illegible]

You May Like



ACM-K2A / B

Realese led

ACM-Y180

180kg

ACM-Y806-5A

5A



ACM225

RFID 12khz

ACM-210

RFID Wiegand

ACM26X

125Khz EM RFID

115mm×75.5mm×16.8mm

1 100% 24hours
2 100% 100% 100% 100% 100% 100%
3 OEM / ODM
4 100% 100% & 100% 100% 100%
5 100%
1 100% 100% 100% 100% 100%
2 100% 100% 100% 100%
3 100% 100% 100% 100% 100% 2 - 3
6 100% 100% 1~5 100% 100% 7~30
7 100% 100% 100% 100% T / T Western Union Paypal Ali
8 100% 100% DHL FEDEX TNT UPS EMS SEA Air 100% 100% 100% 100% 100% 100%

100%

1 100% 100%
100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100%

2 100% 100% 100%
100% 100% T / T Paypal
100% 100% 100% 100% DHL FedEx TNT UPS

3 100% 100% 100% 100% 100%
100% 100% 100% 100% 100% 100%

4 100% 100% 100% 100%
100% 100% 100% 3-9 5000pcs 7-15 100,000pcs

5 100% 100% 100% 100%
100% 100% 100% 100% 100% 100% OEM 100% 100%

6 100% 100% 100% 100%
100% 100% RFID / NFC / RFID / RFID rfid 100% 100% 100% 100% 100% 100% 20 100%