




13.56MHz RS232 / USB RFID ☐ ☐ ☐ weigand rfid ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ 125K&14443A ☐ ☐ UID ☐ ☐ ☐ ☐
☐ USB ☐ TTL ☐ 232 ☐ wegen 26,34 ☐
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ SMT ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐




0
0
0
K
M

4
1
3
T
K
6
M
M
F
S
5
/
S
7
/
n
t
a
g
2
3
/
n
t
a
g
2
1
3

T T E W K b g a n d
w i e g a n d 264
 $\frac{1}{\sqrt{e}}$
I O V Q P F C
+ Y X °C





□□□□□

□□□□□□□

□□□□□□□□□□100□

□□□□□□□

□□□□□□□□□□3□7□



□ □



2000 RFID
/

COFTA F E ... Ect
EXW FOB FCT CIF CFR ...
...

5/5





ACM26X RFID

125Khz wiegand 26/34
 115mm×75.5mm×16.8mm

ACM26G RFID

125Khz /13.56Mhz
 26/34 / RS232

KR600E RFID

125KHz ID / 13.56Mhz 26
 26





ACM-EMI-S RFID

125Khz EM

86 * 54mm

ACM-MF1 RFID

MF1 1K

ACM-ABS003 RFID

125Khz EM / 13.56Mhz / UHF

- ACM Goldbridge 2

- ACM Goldbridge

