




□□868 MHz RFID 12dbi RFID 12d□
□15m□□□□□□□□□□□□□□□□
UHF 12DBI 8-15METER□□□□□□
□902-928MHz□860-868Mhz

□
□
□
□
8
6
□8
□8
□8
□8
6
8
/
9
2
-
9
2
8
□
□
□
□
□

0
2
E
2
B
□
E
O
S
3
□
Q
□
□
□
□
□
□
□
□
□
E
E
□C
C
l
a
s
s
□1
G
□2
I
S
O
1
8
-
6
c
□
□
□
□
N
□
□
□
□
□
□
□
□
□4
□5
□*
4
5
*
4
m
m

6
*
4
6
*
1
2
5
4
2
6
0
m
/
s
4
4
0
4
4
3
0

□□□□




mounting bracket




cable

Reader size: 450*450*40mm



Connector: SAM female, come with cable to connect with reader



Package size: 600*480*100mm

Package weight: 4kg



[illegible]



□□□□□□□□□□□□□□□□ACM812A□□□□□□□□□□ACM802A□ACM818A□ACM801A□□□□□□□□□□□□
□□ACM801A□□□□□□□□□□□□□□□□200□□□□□□□□□□□□□□□□





ACM812A

□□2-5m□□□□UHF□□□

□□26□□□RS232 / 485

ACM818A

□□10-20 m UHF□□□

□□26□□□RS232 / 485

ACM802A

□□□□□□□□□□8-10 m

□□26□□□RS232 / 485



10-15 m UHF
26pin RS232 / 485
ACM 8017
UHF
+ WIFI + GRPS
ACM 918K
4UHF

- 24
-
- OEM / ODM
- fashin desing
-
-
-
- 2-3
- 15730
-

1.

2.
T / T
DHL FedEx TNT UPS

3.

4.
5000 3-7 100,000 7-15

5.
OEM

6.
20 RFID / NFC / RFID / RFID RFID