

RFIDWG26 EM


- >WG26
- >20002000
- >+
- >

0
2
5
E
H
z
/
+
P
I
N
.
2
0
0
0
9
0
E
3
a
.
D
C
1
2
V
±
1
0

8 m A
 2 A
 1
 5
 0
 0
 1
 6
 0
 1
 2
 °C
 °C
 5
 0
 0
 0
 0
 9
 6
 *
 7
 3
 *
 2
 m
 m



Product Dimensions



Double colors LED indicator



Digital backlit keypad

Carved And Beautifully



Star Bright
Digital backlit keypad





ACM223.

RFID125khz EM
1000/4000

ACM209-NW.

RFID ACCESSCONTON
125khz em

ACM208.

RFID



ACM210

RFID

ACM225

RFID 125khz em CAN
Connect Wiegand Reader

ACM211B.

RFID CAN Connect
Wiegand Reader

1. 24
- 2.
3. OEM / ODM
- 4.
- 5.
- 1.
- 2.
3. 2-3
6. 1 5 7 30
7. T / T PayPal Ali
8. DHL FedEx TNT UPS EMS

1

2.

- T / T PayPal
DHL FedEx TNT UPS

3

4

3-7 5000pcs 7-15 100,000pcs

5

- OEM

6

RFID/ NFC/ RFID/ RFID RFID 20