

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

[illegible]

10/10/2019

□□□□/□□□□□□□□□□□□□□

• /

・IP-55□□□□/ SUS 304□□□□

* □□□□□□□□

• • □ □ □ □ □ □ □ □

..□□□□□0.1□10 cm

• □□□□/□/□□/□□□□□□

・□□□□□□□□□□3A / AC120V□DC30V□

• / /


· LED

1 LED

2100000000000000LED



+12V	GND	NO	COM	NC
Red	Black	Yellow	White	Orange



G
o
o
g
l
e
[icon]
[icon]
[icon]
[icon]
[icon]
[icon]
[icon]
[icon]
[icon]
[icon]
[icon]



Installation



Sensing Range



LED Indicator



A: Black / PC Lens

B: Round Shape LED Indicator

Power OFF




White
(Round Circle)

Power On / Standby




Blue LED Indicator ON
(Round Circle)

Power On / Beam Broken



Red LED Indicator ON
(Round Circle)



□□□□□

□□□□□

□□□□□0.3kg

□□□□□10cm x 10cm x 8cm





K2B 86 * 86mm

Realese

K9A 115 * 40mm

NO / NC K5B 86 *
86mm





□□□□□□□□NO□□K4B□86 * 86mm
 □□□□□□□□Kirsite□ K14B□86 * 86mm
 □□□□□□□□ K815B□86 * 86□□

--	--	--	--	--

1. 24
2.
3. OEM / ODM
4. fashin
5.
1.
2.
3. 2-3
6. 1 5 7 30
7. T / T Western Union Paypal
8. DHL FEDEX TNT UPS EMS SEA AIR

1. Introduction

[illegible]

2. 問題の提起

☐ T / T ☐ Paypal ☐ Western Union ☐
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ DHL ☐ FedEx ☐ TNT UPS ☐

