

1. 产品概述
 2. 产品特点
 3. 主要性能指标
 4. 规格参数
 5. 接口说明
 6. 使用环境
 7. 包装清单
 8. 售后服务

尺寸	2.4INCHES
USB	USB
接口	接口
接口	S4A V2.0
接口	≤0.1
接口	≤0.0001
FR.	≤0.01
接口	4PCS
接口	接口
接口	接口
接口	4PCS 1.5V“AA”
接口	接口
接口	接口+ EM+ PINCODE
接口	6 0-3C / m / OK
接口	1000
接口	2000
接口	-25°C~65°C
接口	5~95RH

Touch-screen Glass door lock

iGlass100



Fingerprint unlock



Password unlock



Swipe unlock



Remote unlock



Attendance Record



Opening record



Close the door
automatically locked



Alarm prompt



Automatic locking

The door is automatically locked,
the door is not closed,
and the alarm is reminded.

Timely reminder

Flood prevention alarm,
anti-technical opening,
comprehensive anti-theft capability

Solid lock tongue

Solid lock tongue is stronger



Emergency opening

Plug in the mobile phone charging treasure to open the door, do not worry about no electricity.



Setup button
Press setup button, it will be reset into factory default within 3seconds.

Battery
4pcs 1.5V Alkaline battery.
low power consumption

Glass door plate
workable for glass door
(thickness 10-12mm)

Battery plate



