




12/24VDC

ACM-SL01

1
8
2
0
1
8
2
0
6
0
D
C
1
2
V
V
0
0
0
0
0

[illegible]






□□□□

- * □□□90□180□□□□
- * □□□□□□□□□□□□□□□□
- * □□□□□□□□□□□□□□□□
- * □□□□□□□□□□□□□□□□
- * □□□□□□□□□□50□□□□□□□□
- * □□□□□□□□□□□□□□□□□□□□
- * □□□□□□□□□□□□□□□□□□1200kg
- * □□□□□□□□□□□□
- * □□NO/COM□□□□□□□□□□NO/NC/COM□□□□□□□□
- OEM/ODM



Dimensions >>



Show details >>

01

2600Lbs(1200kg)
super holding force,
safer



02

Door/lock status
sensor



03



Ultra durable
electromagnetic design



04

With both magnetic
and latch design





shear Lock

You may need





ACM-Y130

NC/NO PVC

ACM-Y131

NC/NO PVC


ACM-Y132

280 600





- 1) 24시간
2) OEM/ODM
3) DHL, FEDEX, TNT, UPS, EMS
4) 1~5
5) T/T, Paypal
6) 2-3
7) 7~30
8)



□: 1.□□□□□□□□

A:

□: 2.□□□□□□□□

☐: ☐☐☐☐ T/T☐Paypal☐☐☐☐☐

☐ DHL ☐ FedEx ☐ TNT UPS ☐

3. 数据源

A:

004

□: □□□□□□□□ 5000 □□□ 3-7 □□100,000 □□□ 7-15 □

0050000000000000

A: OEM

□: 6.□□□□□□□□□□

20RFID/NFC/RFID/RFIDrfid