

ACM302 无线遥控开门器
 无线遥控开门器 TEA + Rolling Code 无线遥控开门器

-
- > □□□□□□ IP65 □□□□□□
- > □□□□□□ 433MHz
- > 600 PIN / □□□□ 100 □□□□□□ + 500 □□□□□□
- > 125KHz EM □
- > PIN □□□□ 4 □ 8 □□□□
- > □□□□□□□□ 50m
- > □□□□□□□□□□□□
- > □□□□□□
- > □□□□□□□□□□
- > □□ LED □□□□□□
- > □□□□□□□□□□ <10uA, Wireless Exit Button: <10ua)
- > □□□□□□ 1 □□□□□□ 1 □□□□□□□□ 2 □□□□

□□□□	□□□□
□□	ACM302
□□□□	□□□□□□□□□□
□□□□	600 PIN / □□□□
□□□□	□ 500 □□□□□□ + 100 □□□□□□□□
PIN □□□□	4 □ 8 □□□□
□□□□	125KHz EM □
□□□□	3 □ AAA □□
□□□□□□	□□ 12V
□□□□□□□□	2032 □□□□
□□□□	□□□□□□ <10ua □□□□□□□□ <20m □□□□ □□□□□□□□ <10ua □□□□□□ <80m □□□□ □□□□□□ <50ma □□□□□□□□ <30u □□
□□□□	433MHz □
□□□□	□□ 50m
□□□□□□□□	□□ 2Amp
□□	□□□□□□□□
□□□□	-40°C □ 60°C □ -40°F □ 140°F □
□□□□	□□□□□□ 10 □□ 9 □
□□	ABS □□
□□□□	□□□□□□ L134 x W48 x D25 □mm □
□□□□	□□□□□□ L85 x W50 x D25 □mm □
□□□□	□□□□□□ L80 x W38 x D15 □mm □

□□□

□□□

□□□□150g

□□□□□62□

□□□□□□34g

300□



Battery powered
no need wires any more

125KHz EM Cards
(Support Visitor Users)



Communication
Distance: 50M

Multiple outputs:
Door Bell, Door Contact
& Alarm





ACM223

RFID 125Khz EM
1000/4000

ACM209-NW

RFID 125Khz EM

ACM208

RFID





ACM210

RFID

ACM225

RFID 125Khz EM

ACM211B

RFID



- 1 24
- 2
- 3 OEM / ODM
- 4 fashin
- 5
- 1
- 2
- 3 2-3
- 6 1 5 7 30
- 7
- 8 DHL FEDEX TNT UPS EMS SEA AIR



1.

2
Paypal
DHL FedEx TNT UPS

3. 3.1

3.1.1

4. 4.1

4.1.1 35,000 3-7 100,000 7-15

5. 5.1

5.1.1 OEM

6. 6.1

6.1.1 20 RFID/ NFC/ RFID/ RFID RFID