

\_\_\_\_\_**12V**\_\_\_\_\_

2 5

A D

- 5.000000LED0
- 6.\_\_\_\_12\_18V
- 7.

# **PRODUCT DETAILS**




# Select industrial grade

The cold-rolled sheet is made by stamping and drawing, and the surface treatment is electroplating

# **Powerful motor**

Short unlocking time does not jam






# Pure copper lock head design

The key opens the lock, the pure copper material is resistant to impact and wear

# 











## **ACM-Y090**

\_\_\_\_125x98x36mm

**ACM-Y091** 

**ACM-Y066** 







## **ACM-Y062**

\_\_\_\_130x98x41mm

**ACM-Y043** 

**ACM-Y044** 

|||||126x101x39mm







### **ACM-Y034**

[[[]]]148×107×35[[

**ACM-Y037** 

[[[]]]125×98×36[[

**ACM-Y048** 

\_\_\_\_140×116×55\_\_

You may need







## **ACM-Y100S**

0000 (5PIN) 00000000000

**ACM-Y130** 

**ACM-Y280** 

\_\_\_\_280<u>\_\_</u>/600<u>\_\_</u>

- 1
- 3000EM/ODM
- 5
- 2)
- 3)
- 60000 : 00000 1~ 5 00000 7~30 0
- 700000 00000000000T/T00000Paypal0

# 

#### 

### **: 2.**

□: T/T□Paypal□□□□□□

\_\_\_\_DHL\_FedEx\_TNT UPS \_\_

### 

### 

### 

###