



[illegible]

□□□□□□□□

\_\_\_\_\_

\_\_\_\_\_

型番	304□□□
材質	□□
電源	AC24V10□/50Hz
消費電力	100W
ケーブル長	1S-6S
外形寸法	350*300*975mm
動作温度	-35 □60℃
湿度	□□
重量	1□

# Automatic Barrier Gate




Automatic Barrier Gate Straight  
Barrier Arm



Automatic Barrier Gate 90° Fold  
Barrier Arm




Automatic Barrier Gate 180° Fold  
Barrier Arm




Automatic Barrier Gate Three  
Fence Barrier Arm



Automatic Barrier Gate



Automatic Barrier Gate




Automatic Barrier Gate 3 Fence  
Barrier Arm




Automatic Barrier Gate 90° Fold  
Barrier Arm




Brushless DC Barrier Gate  
Straight Barrier Arm Include Light



Barrier Gate



Barrier Gate



Brushless AC Barrier Gate




Barrier Gate




Brushless AC Barrier Gate

## Product appearance display

Straight pole barrier (octagonal pole)




## Product Detail Presentation






# Product Case









***Parking solution***




***Tolling station solution***




***Transit solution***





## UHF Long Range Reader Automated Gate Access Vehicle area









ACM812A

2-5M UHF

Wiegand 26 RS232/485

ACM818A

10-20m UHF

Wiegand 26 RS232/485

ACM802A

8-10m UHF

Wiegand 26 RS232/485



10-15m UHF  
Wiegand 26 RS232/485  
ACM 8017  
UHF  
UHF WiFi grps  
ACM 918K  
UHF 4-Antenna

## Services

1. 24
- 2.
3. OEM/ODM
4. Fashion Desing
- 5.
- 1.
- 2.
3. 2 - 3
6. 15 7 30
7. T/T

## Payment

1.

2.  
T/T PayPal Western Union  
Express DHL FedEx TNT UPS

3.

4.  
3-7 5000 100,000 7-15

5.  
OEM

6.  
RFID/NFC RFID Keybod/RFID RFID 20