



[illegible]

[illegible]

[illegible]



Signal Door Access Controller Wiring Diagram (TCP/IP Communication)



Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government





Factory



Aviation




School




Kindly remind:

All network control board must configure with access power supply.
1 board for 1 power supply




ACM-WEG04

Four doors 1 way: Control 4doors (Enter by Swipe cards and Exit by Push button)


[illegible]

1111




ACM-WEG01

□□□1□□□



ACM-WEG02

□□□2□□



ACM-WEG04

□□□4□□

You May Like



ACM-K2A/B

□ LED □□□□ Realese □□□□

ACM-Y180

□□□□□□180kg□

ACM-Y806-5A

□□□□5A



ACM225

RFID 12khz

ACM-210

RFID

ACM26X

125Khz EM RFID

115mm×75.5mm×16.8mm

1. 24
- 2.
3. OEM/ODM
- 4.
- 5.
- 1)
- 2)
- 3) 2-3
- 6 : 1~ 5 7~30
- 7 T/T Paypal
- 8 DHL FEDEX TNT UPS EMS

Q: 1.

A:

Q: 2.

Q: T/T Paypal
DHL FedEx TNT UPS

Q: 3.

A:

Q: 4.

Q: 5000 3-7 100,000 7-15

Q: 5.

A: OEM

Q: 6.

20 RFID/NFC RFID rfid