




* MicroSD

□ □ □ □ W i F i 8 2 . 1 1 b / g / □ □ □ □ □ □ □ □



[illegible]

□
□
□
□
□~~7~~
□
□
□
□
□~~2~~
3
6
□V
A
C
□8
2
4
V
~~8~~□
□
□
□
□
□
□
□
□~~□~~
□
□
□
□


□□□□



□□□□□□

□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□

The doorbell is supplied with 2x screws,
double sided tape and
1x tamper alarm screws.



5.1 Should you not be able to use screws into walls or panels, double sided tape is applied to the housing.


1
Double faced
adhesive tape




5.2 Use the 2 screws to secure the housing into a an existing structure.




5.3 Install on the existing doorbell location, connect the AC Transformer.
Before you start, you must turn off the circuit breaker for safety purposes.
Remove existing doorbell from location and disconnect the wires.




Wiring diagram if connect
unlock controller



COM connections are same, Different are connected NO or NC.




Power on wiring diagram



Power off wiring diagram

WiFi

WiFi cat5e LAN * *
microSD *
1 10



Windows

Windows Client CMS admin Onvif NVR



Manual add device

Mute Last/Next Page

Multiple windows

Full screen

Click "Manual add device" to add device if can not find devices automatically, input device information to add.
Click << if remove the device.

Click ►, click ► convert the av files to mp4 files;

□□□□

- ACM Goldbridge 2
- ACM Goldbridge
-

□□□□

□□□□
□□□DHL□FEDEX□TNT□UPS□EMS□SEA□AIR□□□□□□□□□□
□□□□□□□□□□

□□



ACM-VB002

□□□□□□



ACM-VB001

□1080P□□□WIFI□□□□



ACM-VB003

2.4GHz□□□□□□



ACM-101

1MP / 2MP□□□□WiFi□□



ACM-211V

WiFi 360° 1080P



ACM-101X

WiFi 1080P



ACM-208

Weigand 125KHZ RFID



ACM-WEG02

Weigand 2



ACM-Y066

12V DC

3

20

1

1 24

2

3 OEM / ODM

4 fashin

5

1

2

3 2-3

6 1 5 7 30

7 T / T

8 DHL FEDEX TNT UPS EMS