



□
□
O
1
4
4
3
□ A
I
S
O
1
8
-
6
C
□
□
□ C
□
□
°C
□
□
□
3
M
□ M
3
2
8
*
2
8
M
□ M
4
4
8
*
2
8
M
M
d

□□□□






Anti-corrosion
Highly visible

Waterproof
Durable





When it needs to be used again, press the switch and pull out the tie belt.



Insert strap into locking chamber

Pull tight around object being sealed




Use manual tear off or cutting tool to remove

SOLID



DURABLE



ACM-EMI-S

125KHZ TK4100 RFID

ACM-MF1

13.56MHz MF1K F08 RFID

ACM-INLAY

125kHz 13.56MHz 860-960mhz



ACM-ABS003

125KHZ EM TK4100 printing

ACM-WBT-EM

125kHz

ACM-

RFID 125kHz 13.56MHz

860-960mhz



1. Any 24

2. 請提供詳細的技術規格書

3. OEM / ODM 服務

4. 請提供 fashion 相關的設計參考圖

請提供

相關的技術規格書

B 類產品

C 類產品

6. 請提供 1 到 5 英寸 7 到 30 英寸

7. 請提供 T / T 相關的技術規格書

8. Shipping 相關的技術規格書 DHL / FEDEX / TNT / UPS / EMS 相關的技術規格書

請提供

- 請提供 ACM Goldbridge 相關的技術規格書 2 英寸

- 請提供 ACM Goldbridge 相關的技術規格書

- 請提供相關的技術規格書

請提供

請 1 英寸

請提供 EMAIL 相關的技術規格書

請 2. 英寸

請提供 T / T 相關的技術規格書

請提供相關的技術規格書 DHL / FEDEX / TNT UPS 相關的

請 3 英寸

請提供相關的技術規格書

請 4 英寸

請提供相關的技術規格書 3-7 英寸 5000 英寸 7-15 英寸 10 英寸

請 5 英寸

請提供相關的技術規格書 OEM 相關的技術規格書

請提供相關的技術規格書

請提供 RFID 相關的技術規格書 / NFC 相關的技術規格書 / RFID keybod / RFID 相關的技術規格書 20 英寸