



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible][illegible]

[illegible]



 OEM/ODM








□□□□□□□□□□□□□□□□

- 01 Strong and Durable**
Stainless steel panels, stable and durable.



- 02 Metal Shell**
Designed for Metal Frame drill a hole, then install it directly.

- 03 Special Design**
Adjust Lock-tongue to NO style



□□□□□□□□ (NC/NO) □□□□□□□□



04 Low Power Design

05 Rugged combination, Security Guarantee



1. Stainless steel faceplate, Anti-strike,
Stronger protection.



2. Stainless steel tongue.



3. The metal shell paint high hardness,
corrosion resistance&anti-deformation



- 門鎖系統採用ACM Goldbridge 鎖芯 2 個
- 門鎖ACM Goldbridge 鎖芯
- 門鎖系統採用ACM Goldbridge 鎖芯



Cutting according to the size of the electric lock



Insert extension plate



Fix extension plate




After installed, power on and test it



Fix strike lock



Finish



Metal door frame

Wooden door fram



1111

☐ DHL ☐ FEDEX ☐ TNT ☐ UPS ☐ EMS ☐

11

Bolt Lock 1 60



You may need





NC/NO PVC

NC/NO PVC

280□□600□□□□□□□□□□□□□□□□□□□□□□
□□





□□□□□□□□280□□/600□□

□□□□
□□&NO/NC□□□□

130x98x41mm

5/5

- 1) 24시간
2) OEM/ODM
3) 2-3일
4) 1~5일 / 7~30일
5) T/T, Paypal
6) DHL, FEDEX, TNT, UPS, EMS



Q: 1. 产品概述

A: 本产品是一款基于云计算和大数据技术的智能物流管理系统，旨在提高物流效率，降低运营成本。

Q: 2. 产品特点

Q: 产品特点 T/T Paypal 支付方式
支持多种支付方式，包括 T/T、Paypal、DHL、FedEx、TNT、UPS 等。

Q: 3. 系统架构

A: 系统架构采用分布式设计，支持高并发访问。

Q: 4. 性能指标

Q: 性能指标 5000 用户 3-7 天 100,000 数据 7-15 天

Q: 5. 兼容性

A: 系统兼容多种操作系统，支持 OEM 定制。

Q: 6. 安全性能

20 项安全性能指标 RFID/NFC/RFID/RFID/rfid 数据安全性能指标