



□□□□ **0~30dBm** □□ **RS232/485** □□ **UHF rfid**
□□□

- 1□□□ISO18000-6C(EPC C1G2)□□□□□□□□
- ISO18000-6B□□
- 2□□□□ISO-18000B□EPC□
- 3□□□□□□□□5M-10M□□□□
- 4□□□SDK□□□□□
- 5□□□□□□□26□rs232/485□TCP/IP□□

□
□
□
□
U
F
F
□
□
b□

A
C
M
8
1
3
A
□
□
~~RU~~□
□
□□
M□
-
1
M
□
□
~~RU~~□
□
□
□□
8
6
-
9
6
M
H
Z
□
□
□
□
□
F
□
H
S
□
□
□
□
□
□
□

[illegible]

10
A
P
I
(
C
C

)
C
~
6
C
~
9
5
%
C
W26W34

RFID

RFID 860-960Mhz uhf rfid

1. RFID
2. ID
- 3.
4. W26W34


5. PC용 SDK



Interface:

- Standard interface have RS232,RS485 and Wiegand 26





□□

RFID□□□□□□□□

□□ UHF RFID □□□□□□ 860-960Mhz uhf □□□□□□□□□□ USB □□ rfid □□□

- 1□ □□ □□
- 2□ □□ □□
- 3□ □ □□□

4
5
6
7
8



Vehicle access control system



Personal ID access control



Hand free applications



Asset management

Application



UHF CARD



[illegible]



□□□□

□□
UHF□□□□□□1□□□10□□
□□□□32*32*6cm□□□5kg□

□□□□□□□□□□□□□□□□ACM812A□□□□□□□□□□ACM802A□ACM818A□ACM801A□□□□□□□□□□□□□□
□□ACM801A□□□□□□□□□□□□□□□□200□□□□□□□□□□□□□□□□





ACM812A

2-5m UHF

26 RS232/485

ACM818A

10-20m UHF

26 RS232/485

ACM802A

8-10m UHF

26 RS232/485





ACM801A
 10-15m
 26 RS232/485
 ACM 8017
 WIFIGPS
 ACM 918K
 UHF 4

1 24
 2

- 3 OEM/ODM
- 4
- 5
- 1)
- 2)
- 3 2-3
- 6 1~ 5 7~30
- 7 T/T

Q: 1.
A:

Q: 2.
Q: T/TPaypal
DHLFedExTNT UPS

Q: 3.
A:

Q4
Q: 5000 3-7 100,000 7-15

Q5
A: OEM

Q: 6.
20RFID/NFCRFIDrfid