



□ □ □ □ □ □ □ □ □ □ □ □ □

[illegible][illegible]

1. Introduction

1. General Description
2. Dimensions and Weight
3. Environmental Conditions
4. Performance Characteristics
5. Safety Features
6. Electrical Specifications
7. Mechanical Specifications

TECHNICAL SPECIFICATION / OEM / ODM






□ □

[illegible]

Electric control locks all kinds installation schematic diagram



0000
 000DHL0FEDEX0TNT0UPS0EMS0SEA0Air0000000000000000
 0000000000000000

00
 000000000100001000
 0000026 * 26 * 10cm000046kg000050000





ACM-Y090

□□□□□□□□
□□□□125x98x36mm

ACM-Y091

□□□□□□□□
□□□□125x98x36mm

ACM-Y066

□□□□□□□□
□□□□130x98x41mm



ACM-Y062

□□□□□□□□
□□□□130x98x41mm

ACM-Y043

□□□□□□□□
□□□□126x101x39mm

ACM-Y044

□□□□□□□□
□□□□126x101x39mm



ACM-Y034

□□□□
□□□□148×107×35 mm

ACM-Y037

□□□□
□□□□125×98×36 mm

ACM-Y048

□□□□

□□□□140×116×55 mm

You may need



ACM-Y100S

□□□□□5PIN□□□□□□□□□□□□□□

ACM-Y130

□□□□NC / NOOptional□

□□□□110x28x31mm

ACM-Y280

180kg / 350lbs

5/5/2020

- 1 24
2
3 OEM / ODM
4 &
5
1
2
3 2 - 3
6 1~5 7~30
7 T / T Western Union Paypal
8 DHL FEDEX TNT UPS EMS SEA Air

11

1

[illegible]

2

T / T Paypal
DHL FedEx TNT UPS

3

□ □

4

3-9 5000pcs 7-15 100,000pcs

□□5□□□□□□□□□□

OEM

□□6□□□□□□□□□□

RFID/ NFC/ RFID/ RFID rfid 20