




- 111

RFID	RFIDNew ACM-EPOXY001
ABS	ABSPPS
125KHz / 13.56MHz	125KHz / 13.56MHz902-920MHzEPC Class 1 Gen2 / ISO 18000-6C
TK4100 / EM4100 / EM4200 / Temic / Hitags 1 2 / Mifare 1K S50 / i-code sli	TK4100 / EM4100 / EM4200 / Temic / Hitags 1 2 / Mifare 1K S50 / i-code sli
52.8 * 26 * 3.0mm	52.8 * 26 * 3.0mm+/- 0.5mm
5mm * 5mm	5mm * 5mm
2.0mm	2.0mm
6g	6g
-20°C + 75°C	-20°C + 75°C

- 1.
- 2.LOGO
- 3.ABSPVC





RFID

ABS RFID 125KHz 13.56MHz RFID
RFID OEM





RFID Keyfob

RFID Keyfob is a small, thin, and lightweight device that can be used for access control and other applications. It is made of plastic or metal and can be customized with different colors and shapes. It is easy to use and can be carried around with you. It is a convenient and secure way to access restricted areas.





Reading Distance

$2.5\text{cm} \leq \text{LF} \leq 10\text{cm}$

$2.5\text{cm} \leq \text{HF} \leq 10\text{cm}$



Convenient

easy to carry



200mm x 10mm x 26X22X23 cm 13 kg
 200mm x 10mm x 26X22X23 cm 13 kg
 200mm x 10mm x 26X22X23 cm 13 kg

200pcs/bag



2000pcs/Carton



200

200

2000

10 2000

49X25X18 cm 13 kg

20

1 24

2

3 OEM / ODM

4 fashin

5

1

2

3 2-3

6 1 5 7 30

7

8 DHL FEDEX TNT UPS EMS SEA AIR

ACM Goldbridge 2

ACM Goldbridge

