

IP68RFID 125KHZ ID

ACM-A88Wiegand



12VDC+10WGN634

8 6 x 8 6 m m W G 2 6 / 3 4 8 0 E M 9 0 4 N

1
2
5
K
H
z
E
M
/
1
3
.
5
6
m
h
z
□
□
□
1
.
1
□ 8
2
□
3
6
i
n

2. 26Wiegand 26

3.

4. 0.1

5. 8000

6.

7.exit

ACM-A88Rfid 8000LED

Product function

Touch panel, doorbell button

Metal case with blue backlight

WG26/34 input/output

Support Card, Pin, Card + PIN

Full programming from the keypad

Humanized tamper alarm function

Can set up a management card

Active and passive lock signal output

Imported double point relay output signal

Contactless for RFID transponder technology

Connection for external release button (Exit button)

Memory capacity: 8000 user cards and 1 passwords

Does not need to connect on computer, it can works alone

The same series of access control support data copy and backup

Can be used when the password read head and one machine



产品解析

Product analysis



□□□□

□□Wiegand 26□□□□□□□□□□□□



1. 24
- 2.
3. OEM / ODM
4. &
- 5.
6. 1~5 7~30
7. T / T Western Union Paypal Ali
8. Shipping DHL FEDEX TNT UPS EMS SEA Air



ACM223

Touch Keypad RFID&125Khz
EM 1000/4000 USer

ACM209-NW

RFIDAccessControl
125Khz EM

ACM208

RFID





ACM210

RFID

ACM225

RFID 125Khz EM

ACM211B

RFID

RFID

- 1 24
- 2
- 3 OEM / ODM
- 4 &
- 5
- 1
- 2
- 3 2 - 3
- 6 1~5 7~30
- 7 T / T Western Union Paypal Ali

