



TCP/IP□□8-12□UHF□□□WG26/34□□□□Prime

□□□□□□□□□□

1□□□ISO18000-6C(EPC C1G2)□□□□□□□□□□

□ISO18000-6B□□

2□□□□□ISO-18000B□EPC□

3□□□□□□□□□□5M-10M□□□□□

4□□□SDK□□□□□□

5□□□□□□□□26□rs232/485□TCP/IP□□

□

□

□

□

U

H

F

□

□

b□

A
C
M
8
1
3
A
□
□
~~RU~~□
□
□□
M□
-
1
M
□
□
~~RU~~□
□
□
□□
8
6
-
9
6
M
H
Z
□
□
□
□
□
F
□
H
S
□
□
□
□
□
□
□

[illegible]

10
A
P
I
(
C
C


)
C
~
6
C
~
9
5
%
C
W26W34

RFID

RFID 860-960Mhz uhf rfid

- 1. ID
- 2. W26W34

5. 5.1 PC SDK



Interface:

- Standard interface have RS232,RS485 and Wiegand 26



WIRING GIAGRAM

PWR +12V	GND	232 TXD	232 RXD	GND	WG1 DO	WG1 D1	WG2 DO	WG2 D1	TRIG T+	TRIG T-
RED	BLACK	WHITE	PURPLE	BLACK	YELLOW	GREEN	ORANGE	BROWN	BLUE	BLACK





RFID

UHF RFID 860-960Mhz uhf USB rfid

- 1
- 2
- 3
- 4
- 5
- 6
- 7

□□□□□



Vehicle access control system



Personal ID access control



Hand free applications



Asset management




Application



UHF CARD







□□□□

□□
UHF□□□□□□1□□□10□□
□□□□32*32*6cm□□□5kg□

□□□□□□□□□□□□□□□□ACM812A□□□□□□□□□□ACM802A□ACM818A□ACM801A□□□□□□□□□□□□□□
□□ACM801A□□□□□□□□□□□□□□□□200□□□□□□□□□□□□□□□□





ACM812A

2-5m UHF

26 RS232/485

ACM818A

10-20m UHF

26 RS232/485

ACM802A

8-10m UHF

26 RS232/485





ACM801A
 10-15m
 RS232/485
 ACM 8017
 WIFIGPS
 ACM 918K
 UHF 4

1 2 3 4

1 24
 2

- 3 OEM/ODM
- 4
- 5
- 1)
- 2)
- 3 2-3
- 6 1~ 5 7~30
- 7 T/T

Q: 1.
A:

Q: 2.
Q: T/TPaypal
DHLFedExTNT UPS

Q: 3.
A:

Q4
Q: 5000 3-7 100,000 7-15

Q5
A: OEM

Q: 6.
20RFID/NFCRFIDrfid