





□□App□□□□□Weigand Wifi□□□□RFID □□□□□□□□

- 1.□□□□□□□□
- 2.□□APP□□□□
3. □□□□□□□□□□□□
4. □□□□□□□□
- 5.□□□□□□□□




External terminal



External wiring port for easy wiring, easy to use, save installation time

Remote control module slot





The access control power board slot design can insert the remote control module into the slot and unlock it with one button.

For strong current



Ordinary access control power supply provides 1.5-1.8A current output, 208K 5A access control power supply provides 5A current output







Scope of Application



Port



School

□□□□□



[illegible]

□ □ □ □ □ □ □ □ □ □ □ □

[illegible]

□ □ □ □ □ □ □ □ **3** □ □ □ □ □ □ □ □ □ □

□□□□□□□□□□□□□□□□20□□“□□” □□



You May Like



ACM-K2A/B

□ LED □□□□ Realese □□□□



ACM-Y280

□□□□□□□ 280□□/600□□



ACM-Y806-5A

□□□□5A



ACM225

RFID 12khz



ACM-210

RFID



ACM26X

125Khz EM RFID

115mm×75.5mm×16.8mm



ACM 公司

RFID 20 RFID RFID RFID RFID RFID RFID



公司

公司

1. 24
2. 公司
3. OEM/ODM
4. 公司
5. :
A: 公司
B: 公司
C: 2-3
6. : 1~ 5 7~30
7. T/T Paypal
8. DHL FEDEX TNT UPS EMS

公司

1. ACM Goldbridge 2
2. ACM Goldbridge
3. 公司

公司

公司

3
rfid 20

□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□