



# Laundry label

**Application:**  
Laundries, car engine repair logo apparel management systems, product sorting identification, tracking systems, chemical raw materials under high temperature and need to wear, corrosion and other harsh environments

EPC GEN2 100% PPS UHF RFID

RFID 100% - 200

- 1)
- 2)
- 3)
- 4)
- 5) 100%
- 6)
- 7)



0  
0  
0  
0  
0  
0  
R  
F  
I  
D  
0  
0  
0  
0  
0  
0  
0  
0  
0  
5  
/  
5  
0  
0  
0  
0  
0  
0  
P  
P  
S  
0  
0  
0  
0  
0

0  
1  
2  
2  
m  
m  
□  
□  
□  
□  
□  
8  
0  
5  
M  
H  
Z  
~  
9  
2  
8  
M  
H  
Z  
□  
□  
□  
U  
□  
□  
8  
/  
I  
m  
p  
i  
n  
j  
R  
6  
-  
P





### Safe non-toxic

More importantly, RFID washing label as used is safe and non-toxic, green environmental protection new generation label.



### THE APPLICATION BACKGROUND

The washing label to cloth printing and dyeing industry, washing industry, medical and other professional fields and specifically tailored to a safe and non-toxic, durable, green label. Can also be used in other high temperature, high humidity, high labor intensity of the operating conditions. Applications such as laundry, laundry tag stores began to add the clothes from the cashier, and clothing to the factory for scanning, the relevant information into the clothing, such as customer information and requirement, then, according to the classification of statistical categories, and then were washed, wash and then into the washing information, then scan the factory shop sign, scanning.

### PRODUCT FEATURES

elastic, easy to wear, easy to use, waterproof, moisture-proof, shock proof, and high temperature resistant

But low chip package (125KHz): TK4100, EM4200, T5577, Hitag I, Hitag 2, Hitag S

Can be embedded with HF (High Frequency 13.56MHz) chips: FM11RF08, MF1 S50, MF1 S70,

MIFARE Ultralight®, NTAG213, ICODE2, Topaz 512, I-CODE Series, TI2048, SR1512 etc

(MIFARE®, MIFARE Ultralight® are trademarks of NXP, are used under license.)

Encapsulated chip UHF (860MHz-960MHz): UCODE GEN2, ALIEN H3, IM PIN M4 etc.

Operating temperature: -30 to 220 DEG C

Application scope: Widely used in laundry, car engine repair identification, chemical raw materials and other extremely humid environment.







□□□□

□□□□



Shipping Way (Just for new customers reference )

We are one of the leading exporter of RFID products in China since 2000 years . With rich international trade experience we know the international shipping very well , We know which express or air/sea line is cheap and safe to your country . We can supply various certificate for you to clean your custom to such as CO , FTA , Form F , Form E ...Ect . We wil provide our professional suggestion for your shipping . EXW , FOB , FCT , CIF , CFR ...trade term are ok for us . We can be your reliable partner for products and shipping .



**EXW**  
**FCA FOB**  
**CIF CFR**

1 24

2

3 OEM/ODM

4

5

1)

2)

3) 2-3

6 1~ 5 7~30

7 T/T Paypal

8 DHL FEDEX TNT UPS EMS

ACM Goldbridge 2

ACM Goldbridge

: 1.

A:

: 2.

: T/T Paypal

DHL FedEx TNT UPS

: 3.

A:

4

A: 5000 3-7 100,000 7-15

5

A: OEM

6. 20

RFID NFC RFID RFID