



□□□□□□□□PIN□□□□□□Wiegand  
Rfid□□□□□□□□□□PIN□□□□□□  
□Wiegand Rfid□□□

ACM-08F□125KHz□□□□Wiegand□□□□□□□□  
□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□64□□□uem4100□□ID□  
□EM  
□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□□□□□□□□□□□□□







□□□□□□

1. □□□□□□□□□□
2. ABS □□□□□□□□
3. □□□ ID / IC □□□□
4. □□□□□□□□
5. □□□□□□
6. □□□□□□□□□□

## Contactless Card Reader

Sensitive Reading, High Stability, Strong Function, Easy Operation  
Card Reading Time <200ms, Card Reading Distance <0.5S



□□□

□□□VCC□+ 12V□

□□□□□

□□□□□D1

□□□□□D0

□□□LED

□□□□

□□□□□□Wiegand26□□□□□□□□□□Wiegand34



□□□□□

□□□□□□□□

□□□□□□□□□□100□

□□□□□□□□

□□□□□□□□□□3□7□



EXW FOB FCT CIF CFR ...  
...

...





**ACM26X RFID**

125Khz wiegand 26/34  
115mm×75.5mm×16.8mm

**ACM26G RFID**

125 Khz / 13.56 Mhz  
26/34 / RS232

**KR600E RFID**

125KHz / 13.56Mhz ID  
Wiegand





