

Deadbolt

ACM-Y138

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☒ ☒ ☒

D
C
1
2
V

□ □ □ □
VD 4 m A . F
fail S e c u r e
67 ; □ □
□ □ NY □ □
□ □ □ □
□ □ P V C □
+ □ 2 °C
□ □ □ □
□ 0 + 5 °C
HE

01

Stainless steel panels, stable and durable.



02

Designed for Metal Frame drill a hole,then
install it directly.

03

Adjust Lock-tongue to NO style



☐NC / NO☐

--	--	--	--

- ACM Goldbridge 2000
- ACM Goldbridge 2000
- ACM Goldbridge 2000

11

01 / Emb

Embedded Installation Design


Safe design to prevent external malicious lock slot is forced open.



02

Holding Strength

pass 500kg super linear static



03

Suitable For

Narrow Wooden Door, Narrow Metal Door



1111

☐ DHL ☐ FedEx ☐ TNT ☐ UPS ☐ EMS ☐

11

10000000010000000060pcs



□□□□□□□3□□□□□□□!!!

2019年12月，中国银保监会发布《关于规范商业银行互联网贷款业务的通知》，要求商业银行互联网贷款业务应当符合以下要求：（一）坚持小额分散原则，严格控制单户授信额度；（二）坚持风险可控、商业可持续原则，不得以贷养贷；（三）坚持合规经营原则，不得违规开展业务；（四）坚持消费者权益保护原则，不得损害消费者权益；（五）坚持数据合规原则，不得违规收集、使用客户数据；（六）坚持系统安全原则，不得存在重大安全隐患；（七）坚持审慎经营原则，不得开展高风险业务；（八）坚持透明度原则，不得隐瞒重要信息；（九）坚持公平竞争原则，不得搞不正当竞争；（十）坚持依法合规原则，不得违反法律法规规定。

**ACM-Y130**

□□□□□□PVC□□□□□□□□□□NC / NO□



ACM-Y131

□□□□□□□□PVC□□□□□□□□□□NC / NO□



ACM-Y132

280kg□600□□□□□□□□□□□□□□□□□□
□□

You may need

□□□□□□□3□□□□□□□!!!

2019年12月20日，中国疾病预防控制中心发布《2019年中国法定传染病疫情概况》。2019年，中国法定传染病疫情总体平稳，法定传染病报告发病人数为1,100,000人，死亡人数为1,000人。其中，病毒性肝炎报告发病人数为10,000人，死亡人数为100人。病毒性肝炎报告发病人数较2018年下降10.0%，死亡人数较2018年下降10.0%。



ACM-Y280

280kg / 600mm



ACM-Y100S.

100mm

no / ncpower



ACM-Y066.

66mm

130x98x41mm working

66mm



ACM-WEG02

2 RS232 / RS485 / TCP /
IP Communication



ACM-K2A

□□□□Realese ExitButton□K2A□115 * 40mm; K2B□86 * 86mm



ACM-Y806-3A

□□□□12V / 3A



ACM-Y280

□□□□□□280kg / 600□



ACM-26X.

125KHz Wiegand 26/34
115mm×75.5mm×16.8mm



ACM-EMI-S

125khz em