



3-17

ACM-505MHW 2.4G

12-30V

86

[illegible]

1
2
3
4
5
6
7
8
9
10
11
12

11111

INFRARED TOUCH-FREE SWITCH

Infrared touch-free switch for automatic door





TWO-COLOR
LED LIGHT




TEMPERED
GLASS SURFACE



PHYSICAL
SHOOTING

LASER CARVING CRAFT PANEL

Shiny texture, fashionable style



3~30CM SENSING DISTANCE

Adjustable sensing distance



LED LIGHT PROMPT

Adjustable sensing distance





Standby blue light flashes slowly




Induction red light flashes quickly

Dimensions(mm)



Wired, one for one (wireless), one for two (wireless)



2000RFID
COFTAFe
EXWFOBFCIFCFR



_____.or_____







1. 86mm * 86mm K4B
 2. 86mm * 86mm K14B
 3. 86mm * 86mm K815B

1. 86mm * 86mm K4B

1. 86mm * 86mm K4B
2. 86mm * 86mm K14B
3. OEM / ODM
4. 86mm * 86mm K815B
5. 86mm * 86mm K815B
1. 86mm * 86mm K4B
2. 86mm * 86mm K14B

3個位の数字を0から9まで入力してください。2-3桁
6個位の数字を0から9まで入力してください。7桁30分
7桁の数字をT / Tとして入力してくださいPayPalで支払う
8桁の数字DHL、FedEx、TNT、UPS、EMSのいずれかで入力してください。

44

1

[illegible]

2. 实验目的

- T / T_{PayPal}

□□□□□□□□□□□□ DHL □ FedEx □ TNT UPS □□□□

3. 实验结果

□ □

4

□□□□□□□□3-7□5000pcs□7-15□□100,000pcs

00500000000000000000

- OEM

6

RFID / NFC / RFID / RFID RFID 20