



Follow are related products specification:



#### 2.45G directional integrated reader

Frequency:2.45G

Work mode:read only

Read distance:50~80m(adjustable)

Interface: RS485/TCP/IP (optional)



#### GPRS information machine

Interface:USB /TCP/IP

With one sim card slot

With two port,can connect with two readers at the same time

With GPRS port for communication



#### 2.45G card

Frequency:2.45G

Work mode:read only

Read distance:1~80m(depends on reader)

Storage:4K byte

Work life: read /write tags is 2 years, read-only type label is 4 to 5 years

Material:ABS



# SCENE APPLICATION



**RFID Unmanned Supermarket Management**

This application features a central image of a supermarket aisle with produce. Surrounding it are icons for various RFID components: a yellow RFID tag, a black square tag, a roll of white tape, and a light blue square tag.



**RFID Vehicle Tracking Management**

This application features a central image of a car at a toll booth. Surrounding it are icons for RFID components: two white rectangular tags, a black square tag with a white logo, and a roll of white tape.




**Trash Can management system**

This application features a central image of a yellow autonomous refuse truck. Surrounding it are icons for RFID components: a white rectangular tag, a white square tag, a white rectangular tag, and a green and black component.



**RFID books management**

This application features a central image of a library. Surrounding it are icons for RFID components: a black square tag, a smartphone with an RFID reader, a white rectangular tag, and a white cylindrical tag.



**Running race timing system**

This application features a central image of runners at a race. Surrounding it are icons for RFID components: a black rectangular tag, a white square tag, a black rectangular tag, and a white tag with the number 01256.



**RFID laundry management**

This application features a central image of a laundry worker. Surrounding it are icons for RFID components: a black rectangular tag, a white square tag, a smartphone with an RFID reader, and a white fan-shaped tag.



**RFID Warehouse Inventory Management**

This application features a central image of a warehouse with a forklift. Surrounding it are icons for RFID components: a black rectangular tag, a computer monitor displaying a dashboard, a white square tag, and a white cylindrical tag.

□□□□



□□□□

□2000□□□□□□□□□□RFID□□□□□□□□□□□□□□□□□□□□  
 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  
 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  
 EXW□FOB□FCT□CIF□CFR ...□□□□□□□□□□□□□□□□□□□□□□□□□□  
 □□□

□□□□

- 1□□□□□□□□□□ 24□□
- 2□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- 3□ OEM / ODM □□□□
- 4□ □□□□fashin desing□□□□□□□□□□□□□□□□□□□□□□□□□□□□
- 5 □□ □□□□□□
- 1□□□
- 2□□□
- 3□□□
- 6□ □□□□□□ □□□□□□□□1□5□□□□□□□□□□7□30□
- 7□□□

□□□□

□□1.□□□□□□□□□□

