



□□10□UHF□□□WG26/34□□□□Prime□□□□□□□□
□□

- 1□□□ISO18000-6C(EPC C1G2)□□□□□□□□
- ISO18000-6B□□
- 2□□□□ISO-18000B□EPC□
- 3□□□□□□□□5M-10M□□□□
- 4□□□SDK□□□□□
- 5□□□□□□□26□rs232/485□TCP/IP□□

□
□
□
□
U
E
E
□
□
b□

A
C
M
8
1
3
A
□
□
~~RU~~□
□
□□
M□
-
1
M
□
□
~~RU~~□
□
□
□□
8
6
-
9
6
M
H
Z
□
□
□
□
□
F
□
H
S
□
□
□
□
□
□
□

[illegible]

10
A
P
I
(
C
C

)
C
~
6
C
~
9
5
%
C
W26W34

RFID

RFID 860-960Mhz uhf rfid

1. RFID
2. ID
- 3.
4. W26W34

5. PC용 SDK 다운로드



Interface:

- Standard interface have RS232,RS485 and Wiegand 26



WIRING GIAGRAM

PWR +12V	GND	232 TXD	232 RXD	GND	WG1 DO	WG1 D1	WG2 DO	WG2 D1	TRIG T+	TRIG T-
RED	BLACK	WHITE	PURPLE	BLACK	YELLOW	GREEN	ORANGE	BROWN	BLUE	BLACK





RFID規格表

UHF RFID 規格表 860-960Mhz uhf 規格表 USB rfid 規格

1. 規格表
2. 規格表
3. 規格表
4. 規格表
5. 規格表
6. 規格表
7. 規格表
- 規格表



Vehicle access control system



Personal ID access control



Hand free applications



Asset management




Application



UHF CARD







□□□□

□□
UHF□□□□□□1□□□10□□
□□□□32*32*6cm□□□5kg□

[illegible]



ACM812A

2-5m UHF

26 RS232/485

ACM818A

10-20m UHF

26 RS232/485

ACM802A

8-10m UHF

26 RS232/485





ACM801A
 10-15m
 26 RS232/485
 ACM 8017
 WIFIGPS
 ACM 918K
 UHF 4

- 1 24
- 2
- 3 OEM/ODM

4

5□ □□ □□ □

1)

2)

3□□□□□□□□□□ 2-3□□□ □□□□□□□□□□

6□ □□□□□ □□□□□□ 1~5 □□□□□□ 7~30 □

7 T/T

11

□: 1.□□□□□□□□

A:

□: 2.□□□□□□□□

□: T/T□Paypal□□□□□□

☐ DHL ☐ FedEx ☐ TNT UPS

□: 3.□□□□□□□□□□□□□□□□□□

A:

4

□: □□□□□□□□ 5000 □□□ 3-7 □□100,000 □□□ 7-15 □

0050000000000000

A: OEM

□: 6.□□□□□□□□□□

20RFID/NFC/RFID/RFIDrfid